

CODE IDENT. NO. 81205

THIS DOCUMENT IS:

Seattle

CONTROLLED BY

ALL REVISIONS TO THIS DOCUMENT SHALL BE APPROVED BY THE ABOVE ORGANIZATION PRIOR TO RELEASE.

PREPARED UNDER

☐ CONTRACT NO.

IR&D

☐ OTHER

DOCUMENT NO.

D194-1,0074-2

MODEL

THE WEAPON SYSTEM SUPPORT RESOURCES DEMAND PARAMETERS - LOGISTICS.

(PHASE III PROGRESS REPORT)

ORIGINAL RELEASE DATE

2-1-81

Jan. Dec 31

ISSUE NO.

TO

ADDITIONAL LIMITATIONS IMPOSED ON THIS DOCUMENT WILL BE FOUND ON A SEPARATE LIMITATIONS PAGE

PREPARED BY

AD A 0 97

3 17-3 88

00:10

royad for public relacas;

LIMITATION

Approved for public release: distribution unlimited.

Ac	cession	For	
	IS GRAS	ċΙ	10
	TC T'B		
Un	announce	d	Ħ
Ju	stificat	ion	(_1
By.			
D1:	Stribut:	cn/	
A.	vailobil	ity Co	des
l	$A\cdots$ (1	ara/o	
Dist	g ' Spe	cial .	
1	? :	J	1
i H	$T \vdash$	ļ	1
/	<i>l</i> :		
		· ·	J

This document is controlled by <u>Product Support Experience Analysis</u> <u>Center, Organization 2-3840.</u>

All revisions to this document shall be approved by the above noted organization prior to release.

i

ABSTRACT

This document contains the interim progress report of the first half of Phase III of this research effort to develop more accurate measures and weightings to improve maintenance manpower and other resource requirement prediction for operational and emerging weapon systems. The time period covered is January through December 1980.

KEY WORDS

Aircraft Parameters
Data Analysis
Environmental Parameters
Equipment Selection
Experience Data
Failures
Flying Hours
Hardware Parameters
Maintenance Parameters
Operational Parameters
Predictions
Sorties
Support
Resources
Weapon Systems

TABLE OF CONTENTS

<u>Paragraph</u>		<u>Page</u>
	LIMITATIONS ABSTRACT TABLE OF CONTENTS LISTS OF FIGURES AND TABLES GLOSSARY OF TERMS (ABBREVIATIONS & ACRONYMS)	i ii iii iv v
1.0 1.1 1.2	INTRODUCTION AND SCOPE INTRODUCTION SCOPE	1 1 1
2.0	BACKGROUND	2
3.0	STUDY OBJECTIVE	2
4.0 4.1 4.1.1 4.1.2 4.2	DETAILS OF THE STUDY STUDY PLAN - OVERVIEW General Approach Schedule and Milestones DEVELOPMENT OF SOURCE DATA FOR GENERIC	3 3 7 7
4.3 4.4 4.4.1 4.4.2	PARAMETER CLASSES PERFORM ANALYSIS OF GENERIC PARAMETERS CONCLUSIONS AND RECOMMENDATIONS Conclusions Recommendations	7 10 10 29
	REFERENCES	31
APPENDIX		
A	SIGNIFICANT PARAMETER GENERIC DATA SETS	32
В	(INPUT DATA TABLES) PARAMETER IDENTIFICATION TABLES	204

111 D194-10074-2

LIST OF FIGURES

<u>Figure No</u> .		<u>Page</u>
1	Macro Level Task Flow Diagram	4
2	Overall Study Schedule and Milestones	8

LIST OF TABLES

<u> Table No.</u>		Page
1	Count of Analysis Produced by Subsystem	11
2	Subsystem MRD vs. Maintenance Impact Parameter Correlations	12

1v D194-10074-2

GLOSSARY OF TERMS (ABBREVIATIONS AND ACRONYMS)

ACFT Aircraft

AFB Air Force Base
AFM Air Force Manual

AGE Aerospace Ground Equipment

APU Auxiliary Power Unit

ASSY Assembly
AVG Average

BAC Boeing Aerospace Company
BCS Boeing Computer Services

DDC Defense Documentation Center

DOC Document

DoD Department of Defense

EAC Experience Analysis Center

ENG Engine
EQUIP Equipment
FLT Flight

FOD Foreign Objects Damage

HF High Frequency

HR Hour

HSI Horizontal Situation Indicator

HYD Hydraulic

IFF Identify Friend or Foe

LAB Laboratory LB's Pounds

LRU Line Replaceable Unit

MAINT Maintenance

MAX Maximum

MIER Maintenance Impact Estimating Relationship

Minimum Minimum

MISC Miscellaneous

MMH Maintenance Manhour

MRD Maintenance Resource Demand

V D194-10074-2

MTBF Mean Time Between Failure

NO Number

NORM Not Operational Ready Maintenance

NORS Not Operational Ready Supply

OR Operational Ready

ORG Organization

O&S Operations and Support

POSS Possessed

QC Quality Control

R&R Remove and Replace
R/T Receiver/Transmitter
SRU Shop Removable Unit

STINFO Scientific and Technical Information

SYS System

TACAN Tactical Air Navigation

TEMP Temperature

TO Technical Order
TR Technical Report

UHF Ultra High Frequency
VHF Very High Frequency

WT Weight YR Year

1.0 INTRODUCTION AND SCOPE

∑1.1 INTRODUCTION

This document presents preliminary results for Phase III of a study to seek ways of developing more accurate measures and weightings to improve resource requirement predictions for operational and emerging weapon systems. These improved measures can then be used on new programs to predict maintenance demands (human and material), for design tradeoff studies early in the system development process to reduce the overall weapon system life cycle cost and increase mission readiness.

This document covers the results and status of the first half of Phase III of this total study effort. Phases I and II (1978-1979), of the study effort analyzed actual field data on various selected avionics, engine and other mechanical subsystem equipments to determine the possible equipment related parameters that could impact the expenditure of support resources. Phases I and II study details and results are documented in Boeing IR&D document D194-10074-1.

During Phase III (1980) follow-on in-depth statistical analysis of the preliminary findings was performed to identify various subsystem equipment maintenance resource demand vs generic parameter(s) sub-set(s) relationships, such as equipment, operational, environmental, maintenance, and general characteristics. The plan for the second half of Phase III (1981) is to further investigate those maintenance resource demands that have strongly correlated impact parameters within the various subsystems and equipments for identification of positive relationships and their cause factors.

1.2 SCOPE



The scope for this overall study effort encompasses the following activities:

- a. PHASES I AND II (1978-1979)
 - (1) Develop study plans
 - (2) Identify, obtain and review current publications
 - (3) Select weapon systems and subsystem equipments
 - (4) Identify possible equipment impact parameters
 - (5) Identify, obtain, and process historical field experience data
 - (6) Data analysis and parameter prioritizing
 - (7) Prepare presentations and documentation

T D194-10074-2



b. PHASE III (1980-1981)

- (1) Extract applicable source data from Phase I and II results
- (2) Prepare input data for computerized regression analysis
- (3) Perform stepwise regression for generic single type parameter classes
- (4) Identify those parameters that show strong correlation within the applicable subsystem equipments
- (5) Investigate positive relationships and their cause
- (6) Document final report

2.0 BACKGROUND

The Logistics Modeling and Input-Output Data Requirements (see References I through 6) constitutes a widely recognized Air Force system of computer modeling/analysis techniques designed to simulate the operations and support functions of current inventoried and new development weapon systems within the DoD. These standard Air Force models, as called out in new requests for proposals, are used to predict manpower and material requirements of emerging weapon systems. The input parameters for such simulation are traditionally elements such as maintenance actions, failures, and tasks based on various equipment operating measures. These measures, in some cases, may be totally irrelevant. Some irrelevant measures cause erroneous estimates of manpower and material support requirements. Implementation of these erroneous requirements wastes money and/or reduces system/subsystem readiness. The problem is choosing which measure(s) should be used in predicting logistics resources required to support existing and new fielded weapon systems. This problem is similar for most types of hardware whether mechanical or electrical/electronic. Another problem with the traditional equipment operating measures is that they are insensitive to operational and environmental conditions. For example, in current practice, wide swings in flying hours result in wide swings in maintenance manhours/flight hour measures when in reality, the maintenance resource load hardly varies (Reference 7). Also, there is the environmental/weather impact on maintenance, which may be relatively unrelated to the operating hour or sortie measures.

The need for more accurate means to predict maintenance manpower and material resource requirements and costs for new systems is well documented in the attached reference list. (See References 8 through 13.)

3.0 STUDY OBJECTIVE

The general objective of this research project is to develop more accurate measures and weightings to improve the manpower and other resource requirement predictions for operational and emerging aircraft weapon systems. These improved measures can then be used on new weapon system programs to predict logistics demand rates for design tradeoff studies early in the system development process to reduce life cycle

costs and increase mission readiness. Specifically the study objectives were to:

- (1) During Phase I review related studies, select a representative cross-section of weapon systems and subsystems/equipments; identify the applicable parameters/variables; acquire the data and analyze the avionics and engine subsystems for favorable relationships.
- (2) During Phase II continue to analyze the favorable relationships on the avionics and engine subsystems while acquiring data and analyzing the other non-electronic or engine subsystems for additional favorable relationships.
- (3) During Phase III the study objective is to perform in-depth analysis of the relationships detected in Phases I and II and to identify the causative factors for those parameters that show strong correlations with maintenance resource demands (expenditures).

4.0 DETAILS OF THE STUDY

The following sections provide the details of the study applications and approach. Paragraph 4.1 discusses the study plan and provides a general overview of the Phase I and II study efforts. Details and results of the Phase I and II study are contained in Boeing document D194-10074-1. Paragraphs 4.2 through 4.4 contain the results, conclusions, recommendations, and supporting data for the first half of Phase III.


4.1 STUDY PLAN - TASK I PHASE I AND II

Application of the chosen approach required the selection of a study subject population; the selection of representative equipments/equipment characteristics for analysis; the selection of the various parameters; the development of data normalization strategy; refinement of existing computer programs to ease the data manipulation workloads; the extraction of appropriate study data; and the integration, manipulation, and analysis of the foregoing elements to obtain meaningful relationships.

4.1.1 GENERAL APPROACH

The general approach to satisfying the study objective of developing more accurate measures and weightings to improve the manpower and other support resource requirement predictions for operational and emerging weapon systems is illustrated by the macro level task flow diagram of Figure 1. This approach is an overview of the entire study that will result in an organized and prioritized body of decision criteria and parameters that may be used by logistics managers, supervisors, technicians, and other decision makers in the process of predicting resource demand rates for operational and new emerging weapon systems.

3 D194-10074-2



men national constitution has selected as

- The fundamental approach for the overall study is to identify, acquire and analyze actual data gathered on selected hardware from a cross-section of weapon systems. Consideration of the time and study resources available required the study to be structured into three phases to be completed sequentially. Phases I and II were accomplished in 1978-1979, and the results are contained in Boeing IR&D Document D194-10074-1. Phase III follow-on analysis was scheduled for 1980 and 1981. The first half of Phase III (1980) accomplishments are discussed in this document.
- The following subtasks were planned and accomplished during Phase I and II:

Task I - Develop Overall Study Plan

- (a) Develop general approach
- (b) Develop project schedules
- (c) Identify data requirements
- (d) Develop key word list for STINFO search

Task II - Identify, Obtain and Review Current Publications

- (a) Request STINFO search
- (b) Identify, Obtain and review applicable documentation
- (c) Construct data file, categories and elements
- (d) Develop data file compendium

Task III - Subsystem Equipment Selection

- (a) Identify candidate weapon systems for which data is available
- (b) Develop subsystem equipment selection criteria
- (c) Identify (by matrices) subsystem equipment applications by type weapon system
- (d) Select subsystem/equipment item candidates to be studied

Task IV - Parameter Identification

- (a) Identify potential impact parameters
 - (1) Maintenance
 - (2) Hardware
 - (3) Operational
 - (4) Environmental
 - (5) General characteristics
- (b) Construct parameter input data lists for computerized analysis
 - (1) Maintenance
 - (2) Hardware
 - (3) Operational
 - (4) Environmental
 - (5) General characteristics

5 D194-10074-2

Task V - Identify, Obtain and Process Historical Field Experience Data

(a) Identify data elements and categories

(b) Identify and screen data from in-house or other known sources

(c) Obtain and process data for analysis using existing data processing programs when possible

(d) Enter applicable data into the data file developed in Task II

Task VI - Data Analysis/Parameter Prioritizing

(a) Evaluate equipment/parameter selection and formulate collected data

(b) Apply "PKING" data manipulation program to the equipment/parameter source data and produce scatterplots

(c) Visually screen output scatterplots to detect likely parametric relationships

(d) Rank order developed relationships and document results by subsystem/equipments

• The following subtasks are planned for Phase III:

Task VII - Extract Subsystem Equipment Follow-on Scource Data

(a) Maintenance resource demand parameters

(b) Equipment parameters

(c) Operational parameters

(d) Environmental parameters

(e) General characteristic parameters

<u>Task VIII - Structure Source Data into Subsystem Equipment/Type</u> Parameter Data Sets

Reconstitute extracted/normalized source data into generic type parameter data sets within each subsystem and prepare for terminal input processing.

Task IX - Perform Computerized Stepwise Regression Analysis

(a) Input applicable data for each subsystem equipment

(b) Perform stepwise regression analysis on each data set within each subsystem to identify strong correlated parameters and weed out those parameters that show no impact on the demand for resource expenditures.

<u>Task X - Identify Relationships Between Maintenance Resource Demand (MAD)</u> <u>And Subsystem Equipment Impact Parameters</u>

Identify, assemble, correlate and analyze the equipment, operational environmental, maintenance and general parameters that showed strong correlation to the maintenance resource demand parameters in the stepwise regression analysis.

Task XI - Perform Investigation of Causative Factors

(a) Develop field survey instruments

(b) Conduct field surveys for identification of underlying cause factors for each subsystem equipment relationship

(c) Perform comparative analysis of survey causative factor data and

(d) Publish results in Boeing documentation formated for adoption in applicable subsystem equipment MIL/Handbooks and lessons learned documents.

4.1.2 STUDY SCHEDULE AND MILESTONES

The overall study schedule and major milestones are presented in Figure 2. The Phase I - 1978 portion reflects the schedule and study accomplishments for the calendar year 1978 and the Phase II - 1979 portion reflects the schedule and study accomplishments for the calendar year 1979. The Phase III portion shows the schedule and milestones for calendar years 1980 - 1981.

4.2 DEVELOPMENT OF SOURCE DATA FOR GENERIC PARAMETER CLASSES.

The next step in the process of development of comprehensive maintenance prediction techniques was to explore the feasibility of generic estimating measures and weightings whereby maintenance resource demands for a given subsystem/equipment subset could be predicted from equipment, operational, environmental, maintenance, or weapon system general characteristic type parameters. Subsequently generic type parameter data sets were assembled for the effort. These data sets were extracted from the data base acquired through processes of the Phase I and II study efforts (refer to D194-10074-1), and are the parameters that were found to be significantly correlated with the various subsystem/equipment maintenance resource demands during the Phase I and II analysis. These data sets are included in Appendix A (Tables A-1-1 through A-29-6) and are arranged by generic type parameter within each of the 29 subsystems analyzed.

4.3 PERFORM ANALYSIS OF GENERIC TYPE PARAMETERS

The approach taken for this portion of the study was to utilize the source data as discussed in paragraph 4.2 above to perform regression analysis to identify the strong correlated parameters within each generic type parameter category and by aircraft grouping that could be utilized for the estimation and prediction of maintenance resource demand(s) within the individual subsystem equipment items being studied.

The analysis accomplished to-date in Phase III has been to examine the single preliminary relationships identified in Phases I and II (refer to D194-10074-1) as follows:

OVERALL STUDY SCHEDULE AND MILESTONES

7

FIGURE

			PHASE III	
	SUB- TASK	ACTIVITY	1980 3 F M A M 3 J 3 A S O N D	1981 3 F M A M 3 3 A S 0 N D
<u> </u>	VII	EXTRACT SUBSYSTEM- EQUIPMENT SOURCE DATA) 1LE	
	VIII	STRUCTURE SOURCE DATA FOR SUBSYSTEM - EQUIP. DATA (BY TYPE PARAMETERS DATA SETS)	PREPARE DATA FOR TERMINAL INPUT	-
9	×	PERFORM STEP-WISE REGRESSION ANALYSIS (BY TYPE PARAMETERS DATA SETS)	INPUT PERFORM DATA REGRESSION (TERMINAL) ANALYSIS	
	×	IDENTIFY RELATIONSHIPS BETWEEN MAINT. RESOURCE DEMAND (MRD) AND THE IMPACT (CAUSATIVE) PARAMETER(S)		REVIEW RELATIONSHIPS FOR STRONG CORRELATIONS A
	X	PERFORM INVESTIGATION OF CAUSATIVE FACTORS		DEVELOP CONDUCT ANALYSIS OF INSTRUMENTS SURVEY SURVEY SURVEY SURVEY DATA
	1	DOCUMENT RESULTS	PROGRESS REPORT	DOCUMENT FINAL REPORT

FIGURE 2 (CONT) OVERALL STUDY SCHEDULE AND MILESTONES

- a. First, the source data was structured into generic type parameter, i.e. (equipment, operations, environmental, maintenance, and aircraft general) categories.
- b. Second, data files were established for the generic parameter types within each of the following aircraft type groupings:
 - (1) 7 Aircraft Composite 7 Aircraft Types 7 Data Points
 - (2) B-52G Aircraft 10 Bases 10 Data Points
 - (3) KC-135A Aircraft 10 Bases 10 Data Points
- Third, step-wise regression analysis was then applied to each subsystem data set (Maintenance Resource Demand vs Generic Maintenance Impact Parameter(s)) within each of the three aircraft groupings to identify correlations (best fit analysis) that may quantify and explain maintenance resource demand as a function of a certain parameter or subset of parameters. The computer package utilized was Boeing Computer Services "Conversational Terminal System" statistical program package (STATPAK), step-wise regression subroutine (Reference 14). This program allows the analyst to experiment freely with the choice of independent variables to be included in the regression analysis and thus find an optimum fit of the data in terms of multiple correlation coefficient, standard error of the estimate, and the T-statistics of the included variables. This process resulted in 741 individual computerized step-wise regression analysis being generated within the 29 subsystems and across the three aircraft type groupings as shown in Table 1. Approximately 50% of these analysis showed correlation of better than 50% with various parameter subsets within the various subsystems being studied. Table 2 reflects the parameters that correlated to the various maintenance resource demand measures within each of the 29 subsystems and across the three aircraft type groupings. Appendix B contains complete descriptions of all the parameters listed in Table 2.

4.4 CONCLUSIONS AND RECOMMENDATIONS

4.4.1 CONCLUSIONS

This report is an interim progress report that describes the work accomplished during the first half of Phase III (1980) of this study effort.

In summary during 1980, all applicable source data was gathered and computerized for each of the following three aircraft data groupings: (1) seven aircraft composite - seven bases (seven data points); (2) B-52G ten base data set (ten data points); and (3) KC-135A ten base data set (ten data points). Step-wise regression analysis was then performed within each generic type parameter class, for each of 29 study subsystems, on each of the three aircraft data groupings. This analysis resulted in 741 individual computerized step-wise regressions being generated.

TABLE 1 COUNT OF REGRESSION ANALYSIS PRODUCED BY SUBSYSTEM

		REGRESSI	ON ANALYSI	S PRODUCED	
	SUBSYSTEM IDENTIFICATION	7 ACFT.	B-52G ACFT.	KC-135A ACFT.	TOTAL
1.	Forward Fuselage - Radome	· 14	2	3	19
2.	Forward Fuselage - Windshield	12	4	6	22
3.	Wings	16	3	6	25
4.	Cockpit Seats	12	4	4	20
5.	Landing Gear - Wheel & Tire	11	6	8	25
6.	Brakes	11	2	7	20
7.	Flight Controls - Horiz. Stab.	10	1	7	18
8.	Flight Controls - Rudder	8	-	7	15
9.	Flight Controls - Flaps	11	2	6	19
10.	Propulsion - Engine	24	18	15	57
11.	ECS - Water Separator	12	5	4	21
12.	Power Generating - Generators	16	3	6	25
13.	Ext Lighting - Anti Collision	8	1	7	16
14.	Ext Lighting - Landing/Taxi	14	5	3	22
15.	Hydraulics Power - Pumps	15	4	3	22
16.	Internal Fuel - Tanks	11	2	6	19
17.	Liquid Oxygen - Regulators	15	10	11	36
18.	Liquid Oxygen - Converters	12	1	5	18
19.	Fire Detection - Sensors	9	2	6	17
20.	Instruments - Flight Indicators	14	4	13	31
21.	Instruments - Air Data	17	7	7	31
22.	Instruments - HSI	16	8	11	34
23.	Auto Pilot	20	10	11	41
24.	UHF Communications	17	3	2	22
25.	IFF - Transponder	17	4	6	27
26.	Radio Nav Receivers	13	8	5	26
27.	Radio Nav TACAN	19	2	4	25
28.	Radio Nav Attitude Heading	14	6	10	30
29.	Radio Nav Radar	20	9	9	38
	TOTAL	408	135	198	741

TABLE 2 SUBSYSTEM MRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

CIRCYCTEM	MATNT RESOURCE DEMAND	CORRELATE	CORRELATED MAINTENANCE IMPACT PARAMETERS	RAMETERS
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	B-52G	KC-135A
1. Forward Fuselage - Radome	RO1-Failures	RO2-Maint. Manhours OO2-Avg. Mission Mix Ol3-Total Flying Hrs	RO2-Maint. Manhours El3-Predominant Wind Direction	El3-Predominant Wind Direction
	RO2-Maint. Manhours	RO3-Removals Ol3-Total Flying Hrs El7-Cross Winds		RO3-Removals
	RO3-Removals	F24-Securing Method 013-Total Flying Hrs E17-Cross Winds		
2. Forward Fuselage - Windshield	RO1-Failures	RO2-Maint. Manhours FO3-Equip. Weight O13-Total Flying Hrs E17-Cross Winds		E18-Cross Winds
	RO2-Maint. Manhours	FO4-Equip. Volume O13-Flying Hours E17-Cross Winds	RO3-Removals O25-Avg. Poss. Acft	El3-Predominant Wind Direction
	RO3-Removals	017-Landings E17-Cross Winds E19-Cross Winds		017-Landings MO3-Avg. Norm Rate

TABLE 2 SUBSYSTEM MRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

SUBSYSTEM	MAINT, RESOURCE DEMAND	CORRELATE	CORRELATED MAINTENANCE IMPACT PARAMETERS	AMETERS
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	8-526	KC-135A
3. Wings	RO1-Failures	RO2-Maint. Manhours RO3-Removals FO4-Equip. Volume O13-Total Flying Hrs E17-Cross Winds GO5-Wing Area	RO2-Maint. Manhours E15-Cross Winds	El3-Predominant Wind Direction MO4-Avg. NORS Rate
	RO2-Maint. Manhours	RO3-Removals FO4-Equip. Volume Ol3-Total Flying Hrs E17-Cross Winds		031-Acft Incidents
	RO3-Removals	F04-Equip. Volume 013-Total Flying Hrs E17-Cross Winds	E18-Cross Winds	
4. Cockpit Seats	RO1-Failures	RO2-Maint. Manhours Fll-Ground To Flight Operating Ratio Ol3-Total Flying Hrs El7-Cross Winds	E16-Cross Winds	RO2-Maint. Manhours RO3-Removals
	RO2-Maint. Manhours	R03-Removals Fll-Ground To Flight Operating Ratio 013-Total Flying Hrs El7-Cross Winds	RO3-Removals	
	RO3-Removals	F13-Removed to Access Other Equip. E16-Cross Winds	E15-Cross Winds	
_				

TABLE 2 SUBSYSTEM MRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

CHRCYCTFM	MATNT BESOURCE DEMAND	CORRELATE	CORRELATED MAINTENANCE IMPACT PARAMETERS	VAMETERS
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	B-52G	KC-135A
5. Landing Gear - Wheel And Tire	RO1-Failures	RO2-Maint. Manhours RO3-Removals O13-Total Flying Hrs O17-Total Landings O25-Possessed Acft		
	RO2-Maint. Manhours	F03-Equip. Volume F04-Equip. Weight F13-Removals to Access other Equip. F14-F00 008-Cruise Altitude 013-Total Flying Hrs 028-Crew Size G04-Takeoff Weight G05-Wing Area	R03-Removals E13-Wind Direction M04-Avg. NORS Rate	Ell-No. of Sleet Days El3-Wind Direction MO4-Avg. NORS Rate
	RO3-Removals	F13-Removals to Access other Equip. 021-Total Sorties	021-Total Sorties M02-Avg. OR Rate M04-Avg. NORS Rate	013-Total Flying Hrs. 017-Total Landings M03-Avg. Norm Rate
6. Brakes	ROI-Failures	RO2-Maint. Manhours F17-Pressurization 008-Cruise Altitude G07-fuel Capacity G10-No. of Engines G11-Engine Weight	EO3-Snow Days EO4-Snow Fall	E05-Snow Depth
	RO2-Maint. Manhours	RO3-Removals F16-Protection Devices G12-Acft Thrust	013-Total Flying Hrs MO2-Avg. OR Rate MO3-Avg. Norm Rate	
	RO3-Removals	FO2-Material Composition	E22-Max. Temp.	

TABLE 2 SUBSYSTEM MRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EDUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

		STR ISBOY	CARBEI ATEN MATUTENANCE TURBAT DARAMETERS	AMETERS
SUBSYSTEM IDENTIFICATION	MAINT. RESOURCE DEMAND (MRD) PARAMETERS	7 ACFT COMPOSITE	B-52G	KC-135A
7. Flight Controls - Horizontal Stabilizer	RO1-Failures	RO2-Maint. Manhours RO3-Removals Ol3-Total Flying Hrs El7-Cross Winds	RO2-Maint. Manhours E13-Wind Direction WO4-Avg. NORS Rate	
	RO2-Maint. Manhours	RO3-Removals F15-Failure Cause Oll-Min. Landing Dis- tance GO8-Acft Wing Load	MO4-Avg. NORS Rate	
8. Flight Controls - Rudder	ROI-Failures	013-Total Flying Hrs 021-Total Sorties		E17-Cross Winds
	RO2-Maint. Manhours	F16-Protection Devices 025-Possessed Acft F08-No Hail Days		025-Possessed Acft
	RO3-Removals	Gl3-Climb Rate		
9. Flight Controls - Flaps	ROI-Failures	RO2-Maint. Manhours FO3-Equip. Weight O13-Total Flying Hrs E17-Cross Winds		E17-Cross Winds
	RO2-Maint. Manhours	RO3-Removals FOB-Type Failure Ol3-Total Flying Hrs El7-Cross Winds	RO3-Removals	017-Total Landings
	RO3-Removals	FO3-Equip. Weight	E17-Cross Winds	

TABLE 2 SUBSYSTEM HRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

(EQUITMENT, OF	II, O'ENALIONS, ENVIRONEMENTE, INTINIENTALE			
SUBSYSTEM	MAINT, RESOURCE DEMAND	CORRELATE	CORRELATED MAINTENANCE IMPACT PARAMETERS	AMETERS
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	B-52G	KC-135A
10. Propulsion - Engine	POl-Failures	PO8-No. Compressor Blades P19-Component Removals O28-Acft Crew Size GO4-Max. T.O. Gross Wt G17-Yrs Since 1st Flt	P17-Maint. Manhours O13-Total Flying Hrs. MO2-Avg. OR Rate	P17-Maint. Manhours 013-Total Flying Hrs. 017-Total Sorties 021-Total Landings
	P18-Maint. Manhours	PO3-Takeoff Thrust P19-Component Removals OO9-Descent Rate E10-No. of Thunder Days	P19-Component Removals Ol3-Total Flying Hrs	P19-Component Removals 017-Total Landings 021-Total Sorties
	P19-Component Removals	POB-No. Compressor Blades OOB-Cruise Altitude EO7-Total Rain Fall G12-Thrust per Engine	013-Total Flying Hrs	025-Possessed Acft
ll. Environmental Control System - Water Separator	RO1-Failures	RO3-Removals F16-Protection Devices O13-Flying Hours E17-Cross Winds	E07-Total Rain Fall	
	RO2-Maint. Manhours	RO3-Removals FO8-Type Failure Oll-Min. Landing Distance EO3-No. of Snow Days	RO3-Removals ElO-No. of Thunder Days	
	RO3-Removals	011-Min. Landing Distance GO8-Acft Wing Load	E10-No. of Thunder Days	
-	_			

TABLE 2 SUBSYSTEM HRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPHENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

• (
MILIONOLIS	MAINT RESOURCE DEMAND	CORRELATE	CORRELATED MAINTENANCE IMPACT PARAMETERS	AMETERS
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	8-526	KC-135A
12. Power Generating - Generators	RO1-Failures	RO2-Maint. Manhours F13-Removals to Access Other Equip. 004-Med. Takeoff Distance		
	RO2-Maint. Manhours	RO3-Removals FO5-Operating Temp. O12-Avg. Landing Wt. O13-Flying Hours	RO3-Removals E16-Cross Winds	RO3-Removals EO5-Mean Snow Depth
	RO3-Removals	F09-Retest OK F13-Removals to Access Other Equip.	E21-Min. Temp.	MO3-Avg. Norm Rate
13. Exterior Lighting - Anti-Collision Lights	RO1-Failures	RO2-Manhours FO3-Equip. Weight Fll-Ground to Flight Operating Ratio Ol3-Total Flying Hrs	E13-Wind Direction	E10-No. Thunder Days
	RO2-Maint. Manhours	RO3-Removals FO3-Equip. Weight		RO3-Removals
	RO3-Removals	FO3-Equip, Weight E16-Cross Winds		

TABLE 2 SUBSYSTEM HRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

		CORREI ATE	CORRE! ATEN MAINTENANCE IMPACT PARAMETERS	AMETERS
SUBSYSTEM IDENTIFICATION	MAINI, RESOURCE DEMAND (MRD) PARAMETERS	7 ACFT COMPOSITE	8-526	KC-135A
14. Exterior Lighting - Landing/Taxi Lights	RO1-Failures	RO2-Maint. Manhours FO4-Equip. Weight 013-Total Flying Hrs E17-Cross Winds	RO2-Maint. Manhours	RO2-Maint. Manhours
	RO2-Maint. Manhours	RO3-Removals FO4-Equip. Volume Ol3-Total Flying Hrs El7-Cross Winds	RO3-Removals	
	RO3-Removals	011-Min. Landing Distance E17-Cross Winds		
15. Hydraulic Power - Pumps	RO1-Failures	RO2-Maint. Manhours FO4-Equip. Volume 004-Takeoff Distance 007-Avg. Cruise Speed 008-Avg. Cruise Alt. 012-Avg. Landing Wt. 029-Avg. Sortie Length	013-Total Flying Hrs. E17-Cross Winds MO2-Avg. OR Rate MO4-Avg. NORS Rate	RO2-Maint. Manhours
	RO2-Maint. Manhours	004-Takeoff Distance 007-Avg. Cruise Speed 008-Avg. Cruise Alt. 012-Avg. Landing Wt. 029-Avg. Sortie Length Ell-No. Sleet Days		
	RO3-Removals	F13-Removals to Access Other Equip. 013-Total Flying Hrs 028-Acft Crew Size E17-Cross Winds		

TABLE 2 SUBSYSTEM MRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

SUBSYSTEM	MAINT, RESOURCE DEMAND	CORRELATE	CORRELATED MAINTENANCE IMPACT PARAMETERS	AMETERS
IDENTIFICATION		7 ACFT COMPOSITE	B-52G	KC-135A
16. Internal Fuel - Tanks	RO1-Failures	RO3-Remoyals FO1-Equip. Location 004-Takeoff Distance 006-Avg. Climb Rate Ell-No. of Sleet Days	RO2-Removals	021-Total Sorties E06-No. of Rain Days
	RO2-Maint. Manhours	E03-No. of Snow Days E05-Mean Snow Depth E06-No. of Rain Days G06-Avg. Acft Wing	E22-Mean Max. Temp.	E21-Mean Max. Temp
	RO3-Removals	006-Avg. Climb Rate ElO-No. of Thunder Days		
17. Liquid Oxygen - Regulators	RO1-Fatlures	F09-Retest OK Rate F16-Equip. Protection 013-Total Flying Hrs E17-Cross Winds	RO3-Removals Ol3-Total Flying Hrs ElO-No. Thunder Days El3-Wind Direction MO2-Avg. OR Rate	RO2-Maint. Manhours
	RO2-Maint. Manhours	RO3-Removals O28-Acft Crew Size O29-Avg. Sortie Length	RO3-Removals O13-Total Flying Hrs MO2-Avg. OR Rate MO4-Avg. NORS Rate	
	RO3-Removals		013-Total Flying Hrs MO2-Avg. OR Rate	
				·

TABLE 2 SUBSYSTEM HRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

		7+4 174400	TOTAL STATEMENT OF THE PROPERTY OF THE PROPERT	
SUBSYSTEM	MAINT. RESOURCE DEMAND		CURRELATED MAINTENANCE IMPACT PARAMETERS	
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	B-52G	KC-135A
18. Liquid Oxygen -	ROI-Failures	RO2-Maint. Manhours RO3-Removals FO8-Type Failure O29-Avg. Sortie Length	RO2-Maint. Manhours	RO2-Maint. Manhours
	RO2-Maint. Manhours	RO3-Removals FO8-Type Failure		RO3-Removals
	RO3-Removals	FO8-Type Failure O29-Avg. Sortie Length		
19. Fire Detction - Sensors	RO1-Failures	RO2-Maint. Manhours RO3-Removals	RO2-Maint. Manhours	RO2-Maint. Manhours Ol3-Total Flying Hrs.
	RO2-Maint. Manhours	RO3-Removals		
20. Instruments - Flight Indicators	A01-Failures	A21-Removals E16-Cross Winds	A20-Maint. Manhours El3-Wind Direction	A20-Maint. Manhours 017-Total Landings 021-Total Sorties 025-Possessed Acft M02-Avg. OR Rate
	A20-Maint. Manhours	A21-Removals Oll-Landing Distance E03-Snow Days		A21-Removals 017-Total Landings 021-Total Sorties M02-Avg. Norm Rate
	A21-Removals	E16-Cross Winds	EO2-Base Alt. El3-Wind Direction	013-Total Flying Hrs. 017-Total Landings E10-No. Thunder Days

TABLE 2 SUBSYSTEM MRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

The second secon

			CODE STEE MATUREMENT TOWNERS DANGET	MACTER
SUBSYSTEM IDENTIFICATION	MAINT. RESOURCE DEMAND (MRD) PARAMETERS	7 ACFT COMPOSITE	8-52G	KC-135A
21. Instruments - Air Data Indicating	A01-Failures	Al7-Ground to Flt Operating Ratio A21-Removals 013-Total Flying Hrs. E17-Cross Winds	A20-Maint. Manhours E17-Cross Winds	A20-Maint. Manhours MO3-Avg. Norm Rate
	A20-Maint. Manhours	A21-Removals A02-Location on Acft A03-Equip, Weight A05-SRU Count A17-Equip, Density O02-Avg. Mission Mix O11-Min. Landing Dist.	A21-Removals E17-Cross Winds	A21-Removals E17-Cross Winds
	A21-Removals	A03-Equip. Neight A19-Equip. Density 002-Avg. Mission Mix 013-Total Flying Hrs. E17-Cross Winds	•	
22. Instruments - HSI	A01-Failures	A21-Removals 028-Acft Crew Size	A20-Naint. Manhours El3-Wind Direction MO4-Avg. NORS Rate	A20-Maint. Manhours O21-Total Sorties MO2-Avg. OR Rate MO3-Avg. Norm Rate
	A20-Maint. Manhours	A21-Removals 004-Takeoff Distance 006-Climb Rate 008-Cruise Altitude 012-Landing Weight 029-Sortie Length	A21-Removals E02-Base Altítude	A21-Removals
	A21-Removals	028-Acft Crew Size		021-Total Sorties

TABLE 2 SUBSYSTEM HRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

ASTANCE		CORRELATE	CORRELATED MAINTENANCE IMPACT PARAMETERS	AMETERS
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	B-52G	KC-135A
23. Autopilot	A01-Failures	Al3-Operating Time Per Sortie Al4-Retest OK Rate A21-Removals 006-Climb Rate 012-Landing Weight 027-Acft Ceiling 028-Acft Crew Size 029-Sortie Length	A20-Maint. Manhours 013-Total Flying Hrs E06-Rain Days	A21-Removals O21-Total Sorties E06-No. of Rain Days
	A20-Maint. Manhours	A03-Equip. Weight A07-Cooling Method A13-Operating Time per Sortie A21-Removals 003-Takeoff Speed 004-Takeoff Distance 007-Cruise Speed 012-Landing Weight 029-Sortie Length	A21-Removals 013-Total Flying Hrs E06 Rain Days E07-Rain Fall E09-Humidity E14-Cross Winds	A21-Removals 017-Total Landings E06-Rain Days
	A21-Removals	A03-Equip. Weight A04-Equip. Volume A07-Cooling Method A13-Operating Time Per Sortie A14-Retest OK Rate 004-Takeoff Distance 006-Climb Rate 007-Cooling Method 012-Landing Weight 029-Sortie Length	013-Total Flying Hrs E06-Rain Days E10-Thunder Days E11-Sleet Days E14-Cross Winds	017-Total Landings E06-Rain Days

TABLE 2 SUBSYSTEM HRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPHENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

SUBSYSTEM	MAINT, RESOURCE DEMAND	CORRELATE	CORRELATED MAINTENANCE IMPACT PARAMETERS	AMETERS
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	B-52G	KC-135A
24. UHF Communications	AOI-Failures	A03-Equip. Weight A17-Ground to Flight Operating Ratio A20-Maint. Manhours 013-Total Flying Hrs E17-Cross Winds	A20-Maint. Manhours 025-Possessed Acft	A20-Naint. Manhours
	A20-Maint. Manhours	Al7-Ground to Flight Operating Ratio A21-Removals Ol3-Total Flying Hrs E17-Cross Winds	A21-Removals	A21-Removals
	A21-Removals	A03-Equip. Weight A17-Ground to Flight Operating Ratio 006-Climb Rate 013-Total Flying Hrs 017-Total Landings 021-Total Sorties E17-Cross Winds		

TABLE 2 SUBSYSTEM MRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

A CONTRACT OF THE PROPERTY OF

CHBCACTEM	MANNT DESCRIBES DEMAND	CORRELATE	CORRELATED MAINTENANCE IMPACT PARAMETERS	AMETERS
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	B-52G	KC-135A
25. IFF - Transponder Set	A01-Failures	A02-Equip. Location A03-Equip. Weight A20-Maint. Manhours O02-Avg. Mission Mix O11-Landing Distance E13-Wind Direction E16-Cross Winds	A21-Removals Ol3-Total Flying Hrs	A20-Naint. Manhours 013-Total Flying Hrs
	A20-Maint. Manhours	A02-Equip. Location A21-Removals 011-Landing Distance E03-Snow Bays E04-Snow Fall	A21-Removals	MO2-Avg. OR Rate
	A21-Removals	A02-Equip. Location A03-Equip. Weight A08-Protection Devices 011-Landing Distance 026-Max. Acft Speed E11-Sleet Days		
			,	
			•	

TABLE 2 SUBSYSTEM HRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

SUBSYSTEM	MAINT, RESOURCE DEMAND	CORRELATE	CORRELATED MAINTENANCE IMPACT PARAMETERS	
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	8-526	KC-135A
26. Radio Nav Receivers	A01-Failures	A21-Removals 017-Total Landings E19-Cross Winds	A20-Maint. Manhours E14-Cross Winds	A21-Removals
	A20-Maint. Manhours	A09-No. of Test Points A13-Operating Time per Sortie A17-Ground to Flight Operating Ratio 003-Takeoff Speed 011-Landing Distance 026-Acft Speed E03-Snow Days	A21-Removals	A21-Removals
	A21-Removals	013-Total Flying Hrs 017-Total Landings 027-Max. Acft Ceiling		

TABLE 2 SUBSYSTEM HRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

SUBSYSTEM IDENTIFICATION	MAINT. RESOURCE DEMAND (MRD) PARAMETERS	CORRELATE 7 ACFT COMPOSITE	CORRELATED MAINTENANCE IMPACT PARAMETERS DSITE B-52G	AMETERS KC-135A
27. Radio Nav. – Tacan	A01-Failures	A03-Equip. Weight A20-Maint. Manhours 013-Total Flying Hrs	A21-Removals E12-No Fog Days E13-Wind Direction	A21-Removals Ol3-Total Flying Hrs El3-Wind Direction
	A20-Maint. Manhours	A03-Equip. Weight Al3-Operating Time per Sortie A21-Removals 008-Avg. Cruise Alt. 009-Avg. Descent Rate 013-Total Flying Hrs 027-Max. Acft Ceiling 028-Acft Crew Size E17-Cross Winds		
	A21-Removals	A03-Equip. Weight A13-Operating Time per Sortie 013-Total Flying Hrs 028-Acft Crew Size		

TABLE 2 SUBSYSTEM MRD VS. MAINTENANCE IMPACT PARAMETER CORRELATIONS (EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

The with with the A.

MELANCIEM		CORRELATED	D MAINTENANCE IMPACT PARAMETERS	AMETERS
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	B-52G	KC-135A
28. Radio Nav Attitude Heading	A01-Failures	A21-Removals 003-Takeoff Speed 003-Takeoff Speed 005-Max. Takeoff Wt. 007-Avg. Cruise Speed 009-Avg. Landing Speed E03-Snow Days E04-Snow Fall E05-Snow Depth	A20-Maint. Manhours 013-Total Flying Hrs	A21-Removals 013-Total Flying Hrs 017-Total Landings 021-Total Sorties
	A20-Maint. Manhours	A17-Ground to Flight Operating Ratio A21-Removals 007-Avg. Cruise Speed 010-Avg. Landing Speed 011-Landing Distance 026-Max. Acft Speed 027-Max. Acft Ceiling E05-Snow Depth E13-Wind Direction E18-Cross Winds	A21-Removals E05-Snow Depth E13-Wind Direction	A21-Removals 013-Total Flying Hrs
	A21-Removals	003-Takeoff Speed 007-Cruise Speed 011-Landing Distance 026-Max. Acft Speed E03-Snow Days E18-Cross Winds	E17-Cross Winds	

(EQUIPMENT, OPERATIONS, ENVIRONMENTAL, MAINTENANCE AND AIRCRAFT GENERAL PARAMETERS)

and the without and the

SUBSYSTEM	MAINT RESOURCE DEMAND	CORRELATE	CORRELATED MAINTENANCE IMPACT PARAMETERS	AMETERS
IDENTIFICATION	(MRD) PARAMETERS	7 ACFT COMPOSITE	B-52G	KC-135A
29. Radio Navigation - Radar Sets	A01-Failures	A04-Equip. Volume A21-Removals O11-Landing Distance O13-Total Flying Hrs E13-Wind Direction	A21-Removals 013-Total Flying Hrs 021-Total Sorties E03-Snow Days	A21-Removals Ol3-Total Flying Hrs E20-Mean Temp.
	A20-Maint. Manhours	A17-Ground to Flight Operating Ratio A21-Removals E05-Mean Snow Depth	MO4-Avg. NORS Rate	MO2-Avg. OR Rate
	A21-Removals	A04-Equip. Volume 008-Cruise Alt. 012-Landing Wt. 013-Total Flying Hrs 028-Acft Crew Size 029-Sortie Length E17-Cross Winds	013-Total Flying Hrs MO2-Avg. OR Rate	013-Total Flying Hrs E03-Snow Days

More than 50% of these analysis showed correlation strong enough to be utilized for the remainder of the Phase III analysis to be performed in 1981

Various data sets and some of the preliminary relationships identified during the previous phases of this study have already been utilized in support of DoD proposal activities and active program logistics studies. Examples of some of these applications are as follows:

- 1 AMST (YC-14) Program selected subsystem/equipment logistics analysis trade studies.
- 2 AWACS (E-3A) Program logistics support analysis and cost impact studies.
- 3 C-X Proposal activity logistics support analysis trade studies and selected subsystem/equipment removal and total task identification validation.

The study data and some relationships have been utilized in support of the above activities to identify impacts and validate estimates of support resource demand activities such as: Equipment Failure Rates, Removal Rates, and Maintenance Manhour Rates.

4.4.2 RECOMMENDATIONS

The following recommendations are provided as a guide to the planned follow-on study effort and application of the results already accomplished.

- a. The next step of this study should continue as originally planned in the schedule (Reference Figure 4.2.1-1), which consists of the following subtasks:
 - (1) Refine equipments and parameter identification to those equipments and the operational, environmental, and maintenance demand parameters that showed strong correlation in the analysis effort of Phase III.
 - (2) Identify, and integrate causative information against each subsystem/equipment positive correlated parameters to allow for validation of the individual relationships identified in the earlier study effort.
 - (3) Analyze and prioritize collected information necessary to test and define the identified relationships and develop positive factors that will increase the useability and credibility of these relationships during logistics support/design trade studies.

THE BOEING COMPANY

- b. The following recommendations are provided for a guide to application and possible follow-on related studies using the data, methods and findings already developed.
 - (1) The data base assembled during study tasks one through four contains a wealth of organized data that will be useful for logistic, operations, and environmental analyses for aircraft. The data are also useful for comparability analyses of emerging weapon systems.
 - (2) The maintenance resource demand impact relationships identified are immediately applicable to the identification and quantification of the design, operational, environmental, and maintenance factors which impact the maintenance of aircraft equipment.

THE BUEING COMPANY

REFERENCES

- 1. Claytor, W. Graham Jr., Deputy Secretary of Defense, Department of Defense Directive 5000.1, "Major System Acquisition," March 1980.
- Claytor, W. Graham Jr., Deputy Secretary of Defense, Department of Defense Directive 5000.2, "Major System Acquisition Procedures," March 1980.
- 3. Claytor, W. Graham Jr., Deputy Secretary of Defense, Department of Defense Directive 5000.39, "Acquisition and Management of Integrated logistics Support for Systems and Equipment," January 1980.
- 4. Claytor, W. Graham Jr., Deputy Secretary of Defense, Department of Defense Directive 5000.40, "Reliability and Maintainability," July 1980.
- 5. MIL-Standard 1388-1, "Logistics Support Analysis," Department of Defense, October 15, 1973.
- 6. Drake, William F., "Logistics Composite Model User's Reference Guide Update," AFLC/ADDR Report 74-1, November 1974.
- 7. Brown, Frank D., et al, "Historical Analysis of C-130E Resources," AFHRL-TR-77-48, July 1977, Boeing Aerospace Company.
- 8. Augustine, Norman R., Assistant Secretary of Army, R&D, "One Plane, One Tank, One Ship: Trend of the Future," Defense Management Journal, April 1975.
- 9. Editorial Staff, Defense Management Journal, "Reliability," April 1976.
- 10. Editorial Staff, Defense Management Journal, "Management Management," October 1976.
- 11. Editorial Staff, Defense Management Journal, "Who Needs Early Support Planning," January 1977.
- 12. Editorial Staff, Defense Management Journal, "Productivity," April 1977.
- 13. Editorial Staff, Defense Management Journal, "Life Cycle Cost," January 1976.
- 14. BCS-10101-019-R1 Mainstream CTS Interactive Statistical Package (STATPK), Boeing Computer Services, Seattle, Washington, March 1978.

31 D194-10074-2

THE BUEING COMPANY

APPENDIX A

These Phase III study parameter input data tables have been arranged by generic type parameter (1-Maintenance Resource Demand, 2-Equipment, 3-Operations, 4-Environmental, 5-Maintenance and 6-Aircraft General) within each of the 29 subsystem equipments being analyzed. Appendix B contains the complete identification and descriptions of the parameters listed in these Appendix A tables.

SUBSYSTEM EQUIPMENTS

Δ_1_1	through	A-1-6
		A-2-6
A-14-1	through	A-14-6
A-15-1	through	A-15-6
A-16-1	through	A-16-6
A-29-1	through	A-29-6
	A-2-1 A-3-1 A-4-1 A-5-1 A-6-1 A-7-1 A-10-1 A-11-1 A-12-1 A-13-1 A-14-1 A-15-1 A-16-1 A-17-1 A-18-1 A-20-1 A-21-1	A-1-1 through A-2-1 through A-3-1 through A-4-1 through A-5-1 through A-6-1 through A-7-1 through A-9-1 through A-11-1 through A-12-1 through A-13-1 through A-13-1 through A-14-1 through A-15-1 through A-15-1 through A-16-1 through A-17-1 through A-17-1 through A-18-1 through A-19-1 through A-21-1 through

TABLE A-1-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.10 2.06 3.63 1.67 1.12 0.84 1.28	6.63 2.82 26.73 8.50 7.05 5.68 2.53	0.41 0.22 2.50 0.81 0.13 1.10 0.50				
B-52G	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.48 1.47 0.29 0.60 1.13 2.29 0.71 3.00 0.43 0.80	2.06 9.13 0.59 4.21 6.06 4.91 2.66 30.32 7.44 3.22	0.03 0.27 0.00 0.07 0.13 0.00 0.00 0.50 0.00				
KC-135A	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	3.50 0.08 0.81 0.15 0.77 0.41 0.92 0.23 0.69 0.79	3.41 0.39 5.96 7.36 4.04 1.31 1.74 1.58 6.96 24.00	0.29 0.08 1.74 3.26 0.62 0.00 0.08 0.15 0.00 4.79				

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-1-2

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE		 PARA	METER I.D	. NUMBER	_	
7 ACFT. COMPOSITE	F24					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.00 1.00 3.00 1.83 2.00 3.00 1.00					
8-52G						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith						
KC-135A						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith						

- F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-1-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	002	013				 	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.80 2.05 2.13 2.10 1.10 1.20 1.00	223.10 284.70 1329.80 233.10 420.82 331.13 428.20					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-1-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E16	E17			_		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	84.00 136.00 146.00 105.00 93.70 93.70 140.80	20.00 27.00 74.00 14.00 22.50 22.50 42.20					
B-52G	E13						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00						
KC-135A	E13						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00						

- F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-1-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	MO2	M09	M10	·			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	30.60 47.60 62.80 61.90 42.38 6.68 34.62	36.17 17.09 91.29 2.77 28.46 26.33 4.54					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	-						
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-1-6

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	G14	-					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	2.00 2.00 4.00 4.00 4.00 3.00 2.00						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-2-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.52 2.19 6.78 0.21 0.11 2.61 0.71	29.21 20.53 80.55 7.16 1.55 14.72 7.76	0.52 0.47 1.41 0.89 0.01 0.38 1.40				
B-52G	R01	R02	R03	_			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.17 0.20 0.07 0.20 0.00 0.07 0.14 0.21 0.00 0.07	4.64 1.33 0.30 4.09 2.85 0.54 1.74 1.54 0.07 1.39	29.00 15.00 14.00 15.00 15.00 14.00 14.00 14.00 14.00				
KC-135A	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	1.67 2.00 0.97 2.93 8.54 0.52 2.38 1.54 3.54 2.00	9.58 12.91 13.51 5.53 24.32 11.00 10.37 36.24 9.68 14.08	0.29 0.00 0.87 0.22 0.46 0.52 0.08 0.31 0.51				

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-2-2

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE		_	PARA	METER I.D	. NUMBER	-	
7 ACFT. COMPOSITE	F03	F04				·	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	60.00 64.00 385.00 150.00 54.00 50.00						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-2-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	013	017	021				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	223.10 284.70 1329.80 233.10 420.82 331.18 428.20	281.80 166.40 781.90 122.60 149.95 224.70 1083.34	164.90 76.80 366.70 122.60 53.80 65.64 346.88				
B-52G	025						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	29.00 15.00 14.00 15.00 14.00 14.00 14.00 14.00	·					
KC-135A	,						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-2-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE		-	PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E08	E16	E17	E19			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 0.00 1.00 1.00 0.50 0.50 2.80	84.00 136.00 146.00 105.00 93.70 93.70 140.80	20.00 27.00 74.00 14.00 22.50 22.50 42.20	0.00 0.00 1.00 1.00 0.40 0.40 2.20			
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	E13						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00						

- 1. F-15A - Luke
- 2. FB-111A Plattsburg
- 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-2-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE		PARAMETER I.D. NUMBER							
7 ACFT. COMPOSITE	MO9		!						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	36.17 17.09 91.29 2.77 28.46 26.33 4.54								
B-52G	M07	M08	M09	M10	M11	M13	M14	M15	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	2176.94 1759.59 1675.52 1519.04 1874.14 1523.27 1791.29 2105.45 1212.65 1526.30	1198.40 968.65 922.42 836.22 1031.71 838.56 986.10 1159.04 667.56 840.22	36.10 29.18 27.18 25.19 31.07 25.26 29.70 34.91 20.11 25.30	426.09 344.40 327.97 297.32 366.83 298.15 350.61 412.10 232.35 298.74	158.95 128.48 122.35 110.91 136.84 111.22 130.79 153.73 88.54 111.44	11.19 9.05 8.62 7.81 9.64 7.83 9.21 10.83 6.24 7.84	71.20 57.55 54.81 49.68 61.30 49.82 58.59 68.86 39.66 49.92	275.01 222.81 211.68 191.90 236.76 192.43 226.29 265.98 153.19 192.82	
KC-135A	M02	M03	M07	M08	MO9	M10	M11	M12	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10	1166.29 795.98 1081.44 598.69 965.35 862.39 896.68 1165.45 613.50 839.05	433.64 295.93 402.09 222.60 358.93 320.64 333.38 433.33 228.11 311.97	34.19 23.23 31.70 17.55 28.30 25.28 26.29 34.17 17.98 24.60	378.93 258.60 351.36 194.52 313.64 280.19 291.33 378.66 199.33 272.61	85.27 58.19 79.07 43.77 70.58 63.05 65.56 85.21 44.86 61.36	0.16 0.11 0.15 0.08 0.13 0.12 0.12 0.16 0.08 0.11	

- 1. F-15A Luke
 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-2-6

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE		PARAMETER I.D. NUMBER							
7 ACFT. COMPOSITE									
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A									
B-52G	G15								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	88.32 84.01 47.48 73.36 84.88 75.40 75.59 84.07 59.37 73.33								
KC-135A									
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith									

- F-15A Luke

- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-3-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	RO3				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	2.21 29.88 121.34 3.21 44.62 56.26 6.14	75.06 76.91 807.72 36.45 215.64 133.80 27.87	4.24 5.41 33.88 2.89 5.66 1.09 2.78				
B-52G	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	93.66 29.00 71.43 35.27 50.00 56.29 51.79 58.71 46.64 30.47	293.16 157.27 353.04 103.70 330.98 196.73 155.68 157.89 281.26 127.31	3.38 5.27 1.71 1.13 15.73 1.57 8.29 5.00 9.36 5.13				
KC-135A	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	141.58 40.00 42.74 59.48 65.31 26.00 47.38 40.00 55.00 45.14	166.79 89.49 129.77 105.34 151.13 70.53 94.88 107.12 303.28 119.69	0.96 0.67 0.48 0.85 1.38 0.63 1.77 0.54 1.62 2.00			:	

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-3-2

SUBSYSTEM/EQUIPMENT - AIRFRAME/WINGS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE		PARAMETER I.D. NUMBER							
7 ACFT. COMPOSITE	F04	·		_					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	608.00 602.75 3073.00 506.00 800.00 1156.70 170.00					·			
8-52G		_							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith									
KC-135A									
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith									

- 1. F-15A Luke
- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-3-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	013	028					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	223.10 284.70 1329.80 233.10 420.82 331.13 428.20	2.00 2.00 7.00 1.00 9.00 6.00 2.00					
B-52G			Ī				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	025						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	24.00 12.00 31.00 27.00 13.00 27.00 13.00 13.00 14.00						

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-3-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E17						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	20.00 27.00 74.00 14.00 22.50 22.50 42.20						
B-52G	E15	E18					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	237.00 189.00 243.00 198.00 167.00 186.00 237.00 212.00 215.00 178.00	2.00 5.00 1.00 2.00 6.00 3.00 5.00 1.00 5.00 4.00					
KC-135A	E12	E13					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	170.00 166.00 98.00 96.00 142.00 114.00 107.00 187.00 193.00 134.00	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00					

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-3-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE		·	PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M07	M08	M09	M10			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 334.06 77.35	36.17 17.09 91.29 2.77 28.46 26.33 5.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49			
B-52G	M04	M15					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	11.10 7.90 3.10 3.50 3.70 4.70 5.70 4.40 3.70	191.08 130.40 177.18 98.09 158.16 141.29 146.91 190.94 100.51 839.05					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-3-6

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	G03	G05	G12				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	400.00 470.58 1363.00 198.56 1684.49 971.91 77.70	4000.00 2313.40	1813.00 8960.00				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-4-1

SUBSYSTEM/EQUIPMENT - COCKPIT/SEATS

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	RO3			·	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 2.56 22.72 0.05 0.45 1.54 0.49	0.10 11.87 70.70 19.13 7.21 4.27 11.64	0.03 1.75 3.84 3.79 0.98 0.23 3.50				
B-52G	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.21 0.80 0.43 0.33 1.07 0.14 0.07 0.43 0.21 0.80	11.17 6.47 5.54 2.48 11.08 5.52 9.06 4.89 11.79 4.05	1.93 1.33 1.14 0.27 0.73 0.86 1.71 0.43 1.07 0.33				
KC-135A	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.79 0.67 0.74 1.33 1.62 0.81 2.92 0.77 1.00 4.79	1.63 1.07 3.75 1.90 8.68 2.77 4.21 3.98 5.00 9.68	0.13 0.08 0.19 0.11 0.08 0.04 0.38 0.00 0.23 1.07				

- 1. F-15A Luke
- 2. FB-111A Plattsburg
- C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-4-2

SUBSYSTEM/EQUIPMENT - COCKPIT/SEATS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	F08	F11	F13				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6.00 5.00 9.00 6.00 8.00 5.00	50.00 300.00 400.00 100.00 200.00 33.00 20.00	0.03 1.22 2.13 3.11 0.27 0.00 1.80				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke
- 2. FB-111A Plattsburg
- 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-4-3

SUBSYSTEM/EQUIPMENT - COCKPIT/SEATS

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	013						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	223.10 284.70 1329.80 233.10 420.82 331.13 428.20						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·				·	
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-4-4

SUBSYSTEM/EQUIPMENT - COCKPIT/SEATS

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E16	E17	E19	E21			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	84.00 136.00 146.00 105.00 93.70 93.70 140.80	20.00 27.00 74.00 14.00 22.50 22.50 42.20	0.00 0.00 1.00 1.00 0.40 0.40 2.20	50.00 19.00 42.00 42.00 31.15 31.15 43.20			
B-52G	E15	E16	E17	E22			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	237.00 189.00 243.00 198.00 167.00 186.00 237.00 212.00 215.00 178.00	77.00 125.00 54.00 95.00 127.00 110.00 47.00 84.00 88.00 130.00	23.00 20.00 15.00 26.00 32.00 25.00 12.00 20.00 17.00 35.00	87.58 82.83 85.83 71.50 72.42 64.42 85.33 86.00 85.67 70.92			
KC-135A	E17						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	23.00 20.00 15.00 26.00 32.00 25.00 12.00 20.00 17.00 35.00						

- 1. F-15A Luke 2. FB-111A Plattsburg
- 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-4-5

SUBSYSTEM/EQUIPMENT - COCKPIT/SEATS

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M09	M10			<u> </u>		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49					
B-52G				_			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	M04						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	11.10 7.90 3.10 3.50 3.70 4.70 5.70 5.70 4.40 3.70						

- 1. F-15A Luke
 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-4-6

SUBSYSTEM/EQUIPMENT - COCKPIT/SEATS

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE		PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A						
B-52G	G16					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	5.28 5.34 4.60 4.74 5.39 5.28 4.16 4.80 4.03 5.20					
KC-135A						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith						

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases) 5.
- KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-5-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	16.72 3.00 13.41 0.63 11.88 10.22 22.79	48.68 40.80 216.84 1.65 154.74 116.81 42.50	24.83 4.97 37.91 0.63 15.78 14.18 32.48				
B-52G	R01	R02	R03			1	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	7.90 13.47 19.50 8.67 12.33 13.36 1.14 18.00 20.14 4.33	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00	5.14 10.20 38.07 17.27 13.60 10.71 17.36 20.79 16.43 8.20				
KC-135A	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	4.83 14.92 13.35 8.04 12.23 9.15 4.15 10.15 18.62 6.71	54.65 105.46 150.13 162.32 157.77 169.16 86.34 95.35 124.53 62.43	9.00 9.67 26.48 12.78 17.77 10.89 12.15 13.54 13.54 15.93				

- F-15A Luke

- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-5-2

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	F03	F04	F08	F13	F14		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	190.00 506.00 2200.00 228.00 5488.00 2960.00 58.00	112.56 12.96 182.40	9.00 9.00 10.00 5.00 7.00 8.00 10.00	0.97 2.03 5.21 0.11 1.87 1.30 3.19	2.00 1.00 2.00 1.00 3.00 2.00 1.00		
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-5-3

(OPERATIONS) GENERIC PARAMETER CLASS:

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	800	012	013	017	021	025	028	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	2000.00 1250.00 1950.00 408.75 3300.00 2500.00 1175.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	223.10 284.70 1329.80 233.10 420.82 331.13 428.20	281.80 166.40 781.90 122.60 149.95 224.70 1083.34	164.90 76.80 366.70 122.60 53.80 65.64 346.88	47.00 32.00 32.00 16.00 15.00 18.70 83.60	2.00 2.00 7.00 1.00 9.00 6.00 2.00	
B-52G	021							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	51.30 47.30 93.30 44.20 48.80 48.40 51.30 53.40 50.60 49.40							
KC-135A	013	017	021					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20					

- F-15A Luke

- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-5-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E02	E17					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1111.00 245.00 62.00 35.00 549.00 549.00 1500.40	20.00 27.00 74.00 14.00 22.50 22.50 42.20					
B-52G	E13						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00	·					
KC-135A	E05	E07	E11	E13		:	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.50 3.50 0.00 9.46 20.33 20.06 0.00 2.40 0.00 6.44	35.39 45.33 6.62 14.49 57.58 39.92 11.67 39.58 51.11 32.91	3.00 7.00 0.00 25.00 20.00 20.00 2.00 4.00 9.00	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00			

- F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- 5.
- B-52G Composite (10 Bases) KC-135A Composite (10 Bases) T-38A Composite (10 Bases)

TABLE A-5-5

SUBSYSTEM/EQUIPMENT

- LANDING GEAR/WHEEL AND TIRE

GENERIC PARAMETER CLASS:

(MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M07	M08	M09	M10			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 334.06 77.35	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49			
B-52G	M02	M04					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurtnsmith	54.70 43.20 19.90 46.70 36.60 39.10 42.40 50.90 50.30 40.00	5.30 12.30 13.10 8.70 4.70 6.90 10.80 10.00 5.00 5.70					
KC-135A	M02	M03	M04	M15			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10	11.10 7.90 3.10 3.50 3.70 4.70 5.70 4.40 3.70	191.08 130.40 177.18 98.09 158.16 141.29 146.91 190.94 100.51 839.05			

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-5-6

SUBSYSTEM/EQUIPMENT

- LANDING GEAR/WHEEL AND TIRE

GENERIC PARAMETER CLASS:

(AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	G03	G04	G05	G11	G12		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	400.00 470.58 1363.00 198.56 1684.49 971.91 77.70	500.00 1143.00 3166.00 467.86 4880.00 2970.00 117.00	608.00 655.50 3244.00 506.00 4000.00 2313.40 170.00	604.20 824.20 1860.00 285.40 3096.00 1728.00 116.80	4800.00 4070.00 8400.00 1813.00 8960.00 5500.00 770.00		
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	G15	G16					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	56.00 41.67 29.43 41.09 55.42 51.61 49.06 53.40 36.02 48.72						

- F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- 8-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-6-1

SUBSYSTEM/EQUIPMENT - LANDING GEAR/BRAKES

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	16.55 2.13 15.31 0.21 34.19 19.94 9.77	56.98 38.71 92.72 1.77 85.34 58.98 35.11	4.52 2.19 4.69 0.16 2.73 2.16 3.82				
B-52G	RO1	R02				-	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	8.72 19.07 27.64 10.93 177.67 51.93 5.86 12.67 24.86 2.73	0.50 3.50 0.00 9.46 20.33 20.06 0.00 2.40 0.00 6.44					
KC-135A	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	9.08 10.25 28.32 16.70 60.00 42.81 5.08 2.00 22.77 2.43	60.11 55.19 97.06 44.90 60.83 55.53 62.38 55.82 59.48 38.49	2.71 2.71 3.29 1.59 3.15 0.00 1.92 1.62 3.38 1.79				

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-6-2

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	F02	F16	F17				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3.00 11.00 5.00 11.00 11.00 11.00 8.00	8.00 0.00 7.00 0.00 4.00 3.00 0.00	3000.00 3000.00 2100.00 3000.00 1275.00 1200.00 2262.50				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-6-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	004	008	012	028	029		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3500.00 3800.00 3800.00 1700.00 8750.00 9500.00 2700.00	2000.00 1250.00 1950.00 408.75 3300.00 2500.00 1175.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	2.00 2.00 7.00 1.00 9.00 6.00 2.00	1.26 3.75 3.76 1.90 8.26 4.95 1.38		
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		,					
KC-135A	013	017	021	031			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20	0.13 0.00 0.13 0.04 0.15 0.07 0.23 0.08 0.31 0.00			

- F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-6-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE							
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A							
B-52G	E05						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.50 3.50 0.00 9.46 20.33 20.06 0.00 2.40 0.00 6.44	·					
KC-135A	E03	E04	E06	E20	E22		
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	3.00 15.00 2.00 77.00 111.00 114.00 0.00 3.00 5.00	0.50 10.50 0.00 47.30 142.30 160.50 0.00 2.40 0.00 45.10	117.00 136.00 69.00 140.00 171.00 146.00 79.00 125.00 144.00 160.00	65.70 60.58 62.67 47.42 45.67 39.25 60.92 64.92 62.08 45.00	87.58 82.83 85.83 71.50 72.42 64.42 85.33 86.00 85.67 70.92		

- F-15A Luke
- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

. TABLE A-6-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M03	M07	M08	M09	M10	M15	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	47.20 33.00 33.60 23.60 49.37 32.97 24.56	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 334.06 77.35	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49	1.81 216.83 217.36	
B-52G	M03						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	40.00 44.50 67.00 44.60 58.70 54.00 46.80 39.10 44.70 54.30	·					
KC-135A	M02	M03	M05	M07			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10	6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30	1166.29 795.98 1081.44 598.69 965.35 862.39 896.68 1165.45 613.50 839.05			

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-6-6

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	G03	G04	G05	G07	G10	G11	G12	G16
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	400.00 470.58 1363.00 198.56 1684.49 971.91 77.70	500.00 1143.00 3166.00 467.86 4880.00 2970.00 117.00	608.00 655.50 3244.00 506.00 4000.00 2313.40 170.00	3500.00 928.50 2308.00 343.80 4657.50 3130.00 60.00	2.00 2.00 4.00 2.00 8.00 4.00 2.00	604.20 824.20 1860.00 285.40 3096.00 1728.00 116.80	8400.00 1813.00 8960.00	1.27 3.13 2.10 0.59 4.88 3.77 1.00
B-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								
KC-135A								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-7-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.45 4.66 19.75 0.00 0.28 4.67 1.05	9.55 148.68 93.42 0.00 0.61 8.22 11.53	0.10 4.34 2.94 0.00 0.00 0.00				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	R01	R02					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	11.71 9.83 2.94 5.85 2.92 4.04 4.31 1.31 1.23 2.57	23.82 10.75 6.94 10.36 8.09 9.14 4.81 1.82 2.65 3.79					

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-7-2

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	F03	F15					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	300.00 1730.00 3000.00 800.00 2000.00 1600.00 800.00	0.00 11.00 8.00 5.00 5.00 0.00					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
- 2. FB-111A Plattsburg
- 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-7-3

GENERIC PARAMETER CLASS: (OPERATIONAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	011	013					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3750.00 7500.00 2750.00 1600.00 2600.00 3500.00	1329.80 233.10 420.82					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
- FB-111A Plattsburg
- C-141A Travis A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
- KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-7-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E17						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	20.00 27.00 74.00 14.00 22.50 22.50 42.20						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	E13						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00						

- 1. F-15A Luke

- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-7-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M09	M10	M12	M14			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49	0.03 2.00 0.01 0.00 0.00 0.11 0.17	35.56 83.90 35.53 4.67 56.14 32.88 13.56			
B-52G					!		
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	M03	M04					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10	11.10 7.90 3.10 3.50 3.70 4.70 5.70 5.70 4.40 3.70					

- F-15A Luke 1.
- 2.
- 3.
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-7-6

(AIRCRAFT GENERAL) GENERIC PARAMETER CLASS:

DATA CASE ACFT/BASE		PARAMETER I.D. NUMBER						
7 ACFT. COMPOSITE	G08							
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	85.70 201.20 98.10 92.50 122.00 111.23 67.90							
B-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·						
KC-135A	G16							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	4.82 4.28 2.33 4.15 4.91 3.63 4.34 2.50 2.17 4.58							

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-8-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03_				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.86 0.16 5.50 0.11 0.00 0.73 1.97	9.93 5.39 11.66 1.44 1.25 2.48 21.90	0.38 0.16 0.22 0.05 0.00 0.00				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	R01	R02					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.75 0.58 0.71 0.52 0.85 0.85 0.15 0.08 2.43	2.21 2.06 7.69 1.38 0.88 4.19 1.37 0.27 0.31 4.39					

- F-15A Luke

- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-8-2

SUBSYSTEM/EQUIPMENT - FLIGHT CONTROLS/RUDDER

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	F16						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	5.00 7.00 7.00 7.00 7.00 7.00 1.00						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A		_					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-8-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	013	017	021	025	027	031	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	223.10 284.70 1329.80 233.10 420.82 331.13 428.20	281.80 166.40 781.90 122.60 53.80 65.64 346.88	164.90 76.80 366.70 122.60 53.80 65.64 346.88	47.00 32.00 32.00 16.00 15.00 18.70 83.60	7000.00 6000.00 3000.00 4420.00 3500.00 3000.00 5500.00	1.97 0.66 1.00 0.25 0.46 0.11	
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	013	017	021	025	031		
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20	24.00 12.00 31.00 27.00 13.00 27.00 13.00 13.00 13.00 14.00	0.13 0.00 0.13 0.04 0.15 0.07 0.23 0.08 0.31 0.00		

- 1. F-15A Luke
- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-8-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	E08	E19						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 0.00 1.00 1.00 0.50 0.50 2.80	0.00 0.00 1.00 1.00 0.40 0.40 2.20						
8-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								
KC-135A	E03	E 07	E12	E14	E16	E17	E20	E22
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	3.00 15.00 2.00 77.00 111.00 114.00 0.00 3.00 5.00 105.00	35.39 45.33 6.62 14.49 57.58 39.92 11.67 39.58 51.11 32.91	170.00 166.00 98.00 96.00 142.00 114.00 107.00 187.00 193.00 134.00	26.00 23.00 49.00 36.00 27.00 39.00 64.00 32.00 37.00 14.00	77.00 125.00 54.00 95.00 127.00 110.00 47.00 84.00 88.00 130.00	23.00 20.00 15.00 26.00 32.00 25.00 12.00 20.00 17.00 35.00	65.70 60.58 61.67 47.42 45.67 39.25 60.92 64.92 62.08 45.00	87.58 82.83 85.83 71.50 72.42 64.42 85.33 86.00 85.67 70.92

- 1. F-15A Luke
 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-8-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M09						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	36.17 17.09 91.29 2.77 28.46 26.33 4.54						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	M05	M15					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30	130.40 177.18 98.09 158.16 141.29 146.91 190.94				•	

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-8-6

SUBSYSTEM/EQUIPMENT - FLIGHT CONTROLS/RUDDER

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	G13					•	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6725.00 2341.80 727.00 534.00 545.00 590.00 3360.00						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	G16						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	4.82 4.28 2.33 4.15 4.91 3.63 4.34 2.50 2.17 4.58						

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-9-1

SUBSYSTEM/EQUIPMENT - FLIGHT CONTROLS/FLAPS

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.14 13.56 35.59 0.37 6.14 11.45 1.18	0.10 83.39 239.37 6.58 30.23 54.17 6.88	0.00 4.69 19.19 0.26 0.60 0.56 1.27			·	
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith						,	
KC-135A	R01	R02	RO3				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	16.96 7.67 6.10 11.07 18.85 6.07 12.54 8.77 7.08 19.36	49.63 60.38 105.86 34.51 66.22 44.46 43.02 46.93 33.96 56.77	0.25 0.50 0.65 0.26 0.46 0.48 0.85 0.77 0.23 1.41				

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-9-2

SUBSYSTEM/EQUIPMENT - FLIGHT CONTROLS/FLAPS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	 	
7 ACFT. COMPOSITE	F03	F08	F10				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	104.00 800.00 3364.00 200.00 800.00 550.00 70.00	5.00 9.00 14.00 8.00 9.00 4.00 1.00	4.00 2.00 1.00 4.00 4.00 4.00 4.00				
8-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-9-3

- FLIGHT CONTROLS/FLAPS SUBSYSTEM/EQUIPMENT

(OPERATIONS) GENERIC PARAMETER CLASS:

DATA CASE ACFT/BASE	-		PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	013						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	233.10 284.70 1329.80 233.10 420.82 331.18 428.20						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith						·	
KC-135A	013	017	021				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20				

- 1. F-15A Luke
- 2. FB-111A - Plattsburg
- 3.
- 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-9-4

FLIGHT CONTROLS/FLAPS SUBSYSTEM/EQUIPMENT -

(ENVIRONMENTAL) GENERIC PARAMETER CLASS:

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E17						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	20.00 27.00 74.00 14.00 22.50 22.50 42.20						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	E17						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	23.00 20.00 15.00 26.00 32.00 25.00 12.00 20.00 17.00 35.00						

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-9-5

SUBSYSTEM/EQUIPMENT - FLIGHT CONTROLS/FLAPS

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARAI	METER I.D	. NUMBER	<i>,</i>	
7 ACFT. COMPOSITE	M09	M10					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	M02	M03	M05	M15			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20		6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30	191.08 130.40 177.18 98.09 158.16 141.29 146.91 190.94 100.51 839.05			

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-10-1

- PROPULSION/ENGINES SUBSYSTEM/EQUIPMENT

(MAINTENANCE RESOURCE DEMAND) GENERIC PARAMETER CLASS:

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	P01	P18	P19				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	97.58 88.97 390.75 4.26 549.88 350.38 168.01	1589.86 944.12 2584.83 115.47 210.08 1380.95 55.31	91.72 39.69 127.03 5.10 108.56 70.56 56.84				
B-52G	P01	P18	P19				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	626.52 496.73 1204.71 400.00 375.73 510.86 376.50 481.86 383.57 642.28	305.53 194.17 384.14 125.15 107.83 229.36 189.42 191.10 162.08 247.98	131.59 125.20 245.57 60.93 36.40 129.29 87.89 79.86 41.00 148.00				
KC-135A	P01	P17	P18				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	358.96 467.00 530.36 215.85 446.46 301.44 450.31 169.31 155.92 408.21	165.29 144.25 185.67 111.77 167.72 128.51 157.99 125.43 121.50 144.96	1923.70 1445.49 2261.38 770.62 1070.14 1302.41 1654.02 1011.26 944.43 1425.99				

- F-15A Luke

- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach
- B-52G Composite (10 Bases) KC-135A Composite (10 Bases) T-38A Composite (10 Bases)

TABLE A-10-2

SUBSYSTEM/EQUIPMENT - PROPULSION/ENGINES

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	P03	P04	P08	P10			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	2394.00 2000.00 2100.00 906.50 1100.00 1120.00 384.90	302.10 490.00 461.20 142.50 380.70 432.00 51.60	982.00 1024.00 1087.00 28.00 1135.00 1135.00 807.00	954.00 1115.00 555.00 825.00 610.00 610.00 725.00			
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-10-3

SUBSYSTEM/EQUIPMENT - PROPULSION/ENGINES

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	004	008	009	012	027	028	029	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3500.00 3800.00 3800.00 1700.00 8750.00 9500.00 2700.00	2000.00 1250.00 1950.00 408.75 3300.00 2500.00 1175.00	2250.00 2500.00 700.00 3500.00 4000.00 4000.00 3000.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	7000.00 6000.00 3000.00 4420.00 3500.00 3000.00 5500.00	2.00 2.00 7.00 1.00 9.00 6.00 2.00	1.26 3.75 3.76 1.90 8.26 4.95 1.38	
B-52G	013	017	021	031				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	394.10 358.10 738.60 365.30 363.70 388.10 404.00 396.00 402.10 398.20	133.30 120.80 398.60 131.50 122.70 102.10 140.40 118.90 109.80 121.40	51.30 47.30 93.30 44.20 48.80 48.40 51.30 53.40 50.60 49.40	0.55 0.53 0.64 0.33 0.29 0.43 0.50 0.57				
KC-135A	013	017	021	025				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20	24.00 12.00 31.00 27.00 13.00 27.00 13.00 13.00 14.00				

- 1. F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- B-52G Composite (10 Bases) 5.
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-10-4


SUBSYSTEM/EQUIPMENT - PROPULSION/ENGINES

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE		. = .	PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	E07	E09	E10					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3.56 35.73 14.00 51.34 33.46 33.46 25.26	27.00 61.00 50.00 62.00 55.70 55.70 48.40	19.00 25.00 7.00 51.00 34.70 34.70 48.00					
B-52G	E06	E07	E11	E15	E18			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	117.00 136.00 69.00 140.00 171.00 146.00 79.00 125.00 144.00 160.00	35.39 45.33 6.62 14.49 57.58 39.92 11.67 39.58 51.11 32.91	3.00 7.00 0.00 25.00 20.00 20.00 0.00 2.00 4.00 9.00	237.00 189.00 243.00 198.00 167.00 186.00 237.00 212.00 215.00 178.00	2.00 5.00 1.00 2.00 6.00 3.00 5.00 1.00 5.00 4.00			
KC-135A	E04	E05	E06	E09	E11	E12	E21	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.50 10.50 0.00 47.30 142.30 160.50 0.00 2.40 0.00 45.10	0.50 3.50 0.00 9.46 20.33 20.06 0.00 2.40 0.00 6.44	117.00 136.00 69.00 140.00 171.00 146.00 79.00 125.00 144.00 160.00	55.00 56.00 46.00 55.00 63.00 64.00 48.00 54.00 55.00 61.00	3.00 7.00 0.00 25.00 20.00 20.00 0.00 2.00 4.00 9.00	170.00 166.00 98.00 96.00 142.00 114.00 107.00 187.00 193.00 134.00	36.83 36.92 41.08 25.25 16.50 16.50 40.92 14.42 36.08 20.10	

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis
- 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases

BOEING AEROSPACE CO SEATTLE WA F/6 1/3 WEAPON SYSTEM SUPPORT RESOURCES DEMAND PARAMETERS - LOGISTICS.(U) FEB 81 6 A WALKER D194-10074-2 ML AD-A097 517 UNCLASSIFIED 2 or **5**



A-10-5 TABLE

SUBSYSTEM/EQUIPMENT - PROPULSION/ENGINES

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M07	M08	M09	M10			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 334.06 77.35	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49			
B-52G	M02	M03					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	54.70 43.20 19.90 46.70 36.60 39.10 42.40 50.90 50.30 40.00	40.00 44.50 67.00 44.60 58.70 54.00 46.80 39.10 44.70 54.30					
KC-135A	M02	M03	M05	M07	M08	M10	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10	6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30	1126.99 795.98 1081.44 598.69 965.35 862.39 896.68 1165.45 613.50 839.05	433.64 295.93 402.09 222.60 358.93 320.64 333.39 433.33 228.11 311.97	378.93 258.60 351.36 194.52 313.64 281.19 291.33 378.66 199.33 272.61	

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-10-6

SUBSYSTEM/EQUIPMENT - PROPULSION/ENGINES

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	G04	G06	G07_	G09	G10 _	G11	G12	G17
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	500.00 1143.00 3166.00 467.86 4880.00 2970.00 117.00	3.00 1.57 7.90 6.54 8.55 7.06 3.75	3500.00 928.50 2308.00 343.80 4657.50 3130.00 60.00	5.00 17.00 18.00 4.00 25.00 25.00 15.67	2.00 2.00 4.00 2.00 8.00 4.00 2.00	604.20 824.20 1860.00 285.40 3096.00 1728.00 116.80	4800.00 4070.00 8400.00 1813.00 8960.00 550.00 770.00	6.00 11.00 15.00 5.00 22.00 14.00 19.00
B-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·						
KC-135A	G15							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	56.00 41.67 29.43 41.09 55.42 51.61 49.06 53.40 36.02 48.72							

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-11-1

SUBSYSTEM/EQUIPMENT - ENVIRONMENTAL CONTROL/WATER SEPARATOR

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 1.16 3.88 0.00 0.48 0.13 0.48	1.64 11.42 6.24 0.21 6.31 0.79 0.99	0.21 0.56 0.28 0.05 0.38 0.06 0.18				
B-52G	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.45 0.73 0.07 0.20 0.40 0.43 0.29 0.71 0.93 0.60	15.13 11.81 1.87 1.40 4.05 6.69 2.72 8.29 8.92 2.18	0.83 0.67 0.14 0.07 0.20 0.36 0.07 0.57 0.71				
KC-135A	R01	R02					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.25 0.08 0.06 0.00 0.15 0.22 0.08 0.00 0.38 0.07	0.99 0.18 0.68 0.15 1.65 0.67 0.35 0.00 1.86 1.36					

- F-15A Luke
- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
- KC-135A Composite (10 Bases) T-38A Composite (10 Bases)

TABLE A-11-2

SUBSYSTEM/EQUIPMENT - ENVIRONMENTAL CONTROL/WATER SEPARATOR

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE		PARAMETER I.D. NUMBER								
7 ACFT. COMPOSITE	F08	F16								
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.64 11.42 6.24 0.21 6.31 0.79 0.99	4.00 4.00 7.00 1.00 4.00 2.00 1.00								
B-52G						· :				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith										
KC-135A										
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith										

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-11-3

SUBSYSTEM/EQUIPMENT - ENVIRONMENTAL CONTROL/WATER SEPARATOR

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE		PARAMETER I.D. NUMBER								
7 ACFT. COMPOSITE	011	013								
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3750.00 7500.00 2750.00 1600.00 2600.00 3500.00	223.10 284.70 1329.80 233.10 420.82 331.13 428.20								
B-52G							_			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·								
KC-135A	031									
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.13 0.00 0.13 0.04 0.15 0.07 0.23 0.08 0.31 0.00									

- F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- B-52G Composite (10 Bases) 5.
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-11-4

SUBSYSTEM/EQUIPMENT - ENVIRONMENTAL CONTROL/WATER SEPARATOR

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E03	E17					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 89.00 0.00 3.00 43.50 43.50 5.60	20.00 27.00 74.00 14.00 22.50 22.50 42.20					
B-52G	E07	E10	E12				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	35.39 45.33 6.62 14.49 57.58 39.92 11.67 39.58 51.11 32.91	55.00 62.00 3.00 10.00 31.00 23.00 8.00 49.00 57.00 49.00	170.00 166.00 98.00 96.00 142.00 114.00 107.00 187.00 193.00 134.00				
KC-135A	E07	E18		_			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	35.39 45.33 6.62 14.49 57.58 39.92 11.67 39.58 51.11 32.91	2.00 5.00 1.00 2.00 6.00 3.00 5.00 1.00 5.00 4.00					

- F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-11-5

SUBSYSTEM/EQUIPMENT - ENVIRONMENTAL CONTROL/WATER SEPARATOR

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE	-		PARA	METER I.D	. NUMBER	 	
7 ACFT. COMPOSITE	M14	_					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	35.56 83.90 35.53 4.67 56.14 32.88 13.56						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S: Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke
- 2. FB-111A Plattsburg
- 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-11-6

SUBSYSTEM/EQUIPMENT - ENVIRONMENTAL CONTROL/WATER SEPARATOR

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	 	
7 ACFT. COMPOSITE	G08						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	85.70 201.20 98.10 92.50 122.00 111.23 67.90	·					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A		, 				!	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke
- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-12-1

SUBSYSTEM/EQUIPMENT - POWER GENERATING/GENERATORS

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	RO3				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.45 2.22 1.66 0.00 5.40 2.66 2.96	5.34 29.12 45.14 0.00 37.38 19.53 14.42	0.21 0.38 2.22 0.00 1.87 1.46 0.69				
B-52G	R02	R03					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	23.11 52.34 30.66 42.10 63.42 35.16 27.79 19.64 39.98 37.58	1.07 2.00 1.79 1.73 3.13 2.57 0.86 0.71 1.79 3.00					
KC-135A	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	5.67 2.58 2.23 3.30 3.46 2.41 0.46 2.23 2.15 2.07	12.69 20.58 20.74 16.24 46.12 20.29 10.43 11.07 16.96 20.18	0.42 1.17 2.42 0.93 3.92 1.37 0.77 0.69 1.46 1.43				

- F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - POWER GENERATING/GENERATORS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	F05	F09	F13				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	200.00 300.00 252.00 180.00 226.40 226.40 200.00	85.00 95.00 100.00 75.00 90.00 95.00 90.00	0.03 0.00 0.41 0.00 0.80 0.48 0.17				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - POWER GENERATING/GENERATORS

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	004	008	012	013	028	029	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3500.00 3800.00 3800.00 1700.00 8750.00 9500.00 2700.00	2000.00 1250.00 1950.00 408.75 3300.00 2500.00 1175.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	233.10 284.70 1329.80 233.10 420.82 331.13 428.20	2.00 2.00 7.00 1.00 9.00 6.00 2.00	1.26 3.75 3.76 1.90 8.26 4.95 1.38	
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke
 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - POWER GENERATING/GENERATORS

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARAI	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E11						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 8.00 0.00 1.00 9.00 9.00 2.60						
8-52G	E11						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	3.00 7.00 0.00 25.00 20.00 20.00 2.00 4.00 9.00	·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

.TABLE A-12-5

SUBSYSTEM/EQUIPMENT - POWER GENERATING/GENERATORS

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE		_	PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M06	M07	M08	M09	M10	M15	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.25 5.00 2.00 1.80 8.00 4.00 3.00	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 334.06 77.35	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49	10.40 19.40 70.06 1.81 216.83 217.36 9.66	
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	M02	M03	M04				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10	11.10 7.90 3.10 3.50 3.70 4.70 5.70 4.40 3.70				

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-12-6

SUBSYSTEM/EQUIPMENT - POWER GENERATING/GENERATORS

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	G02	G03	G04	G05	G09	G10	G12	G17
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6.00 9.00 14.00 5.00 19.00 21.00 18.00	400.00 470.58 1363.00 198.56 1684.49 971.91 77.70	500.00 1143.00 3166.00 467.86 4880.00 2970.00 117.00	608.00 655.50 3244.00 506.00 4000.00 2313.40 170.00	5.00 17.00 18.00 4.00 25.00 25.00 15.67	2.00 2.00 4.00 2.00 8.00 4.00 2.00	4800.00 4070.00 8400.00 1813.00 8960.00 5500.00 770.00	6.00 11.00 15.00 5.00 22.00 14.00 19.00
B-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·						
KC-135A								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								

- F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-13-1

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/ANTI COLLISION LIGHTS

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	2.72 5.31 7.78 0.05 1.42 0.31 2.05	15.27 59.23 55.94 3.13 7.13 1.47 4.90	0.83 2.31 2.41 0.58 0.26 0.08 0.75				
B-52G	R01						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.66 1.67 2.00 0.87 1.33 2.00 0.71 2.07 1.57 1.33	·					
KC-135A	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.42 0.17 0.39 0.70 0.38 0.19 0.54 0.80 0.23 0.00	1.46 1.65 0.34 1.23	0.29 0.00 0.03 0.00 0.15 0.15 0.00 0.08 0.07				

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke FB-111A Plattsburg
- C-141A Travis A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/ANTI COLLISION LIGHTS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	F03	F04	F11				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	10.00 10.00 15.00 2.00 2.50 4.00 2.00	500.00 392.60 720.00 193.00 368.00 187.00 180.00	50.00 25.00 10.00 300.00 200.00 300.00 100.00				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A			_				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-13-3

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/ANTI COLLISION LIGHTS

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	013						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	223.10 284.70 1329.80 233.10 420.82 331.13 428.20						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A						 	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke
 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-13-4

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/ANTI COLLISION LIGHTS

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	, 	
7 ACFT. COMPOSITE	E09	E16	E17	E13			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	27.00 61.00 50.00 62.00 55.70 55.70 48.40	84.00 136.00 146.00 105.00 93.70 93.70 140.80	20.00 27.00 74.00 14.00 22.50 22.50 42.20	360.00 360.00 225.00 180.00 243.00 243.00 171.00			
B-52G	E13						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00						
KC-135A	E07	E10	E12	E14	E21		
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	35.39 45.33 6.62 14.49 57.58 39.92 11.67 39.58 51.11 32.91	55.00 62.00 3.00 10.00 31.00 23.00 8.00 49.00 57.00 49.00	170.00 166.00 98.00 96.00 142.00 114.00 107.00 187.00 193.00 134.00	26.00 23.00 49.00 36.00 27.00 39.00 64.00 32.00 37.00 14.00	36.83 36.92 41.08 25.25 16.50 16.50 40.92 14.42 36.08 20.00		

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/ANTI COLLISION LIGHTS

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE							
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A							
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	M04	M05	M12	M14	M15		
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	11.10 7.90 3.10 3.50 3.70 4.70 5.70 5.70 4.40 3.70	6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30	0.16 0.11 0.15 0.08 0.13 0.12 0.12 0.16 0.08 0.11	42.68 29.12 39.57 21.91 35.32 31.56 32.81 42.64 22.45 30.70	191.08 130.40 177.18 98.09 158.16 141.29 146.91 190.94 100.51 839.05		

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/ANTI COLLISION LIGHTS

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE		PARA	METER I.D	. NUMBER	717	······································	
7 ACFT. COMPOSITE							
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A							
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	G15						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	56.00 41.67 29.43 41.09 55.42 51.61 49.06 53.40 36.02 48.72						

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-14-1

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/LANDING AND TAXI

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03			_	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.41 4.34 13.19 0.05 2.05 0.95 2.15	1.80 14.54 30.07 0.02 5.63 2.33 7.25	0.14 3.81 2.19 0.00 0.57 0.19 0.66				
B-52G	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.62 2.73 2.29 2.13 2.07 2.86 3.00 1.79 2.21 0.80	1.07 10.69 4.08 5.23 8.99 6.37 5.76 3.49 8.01 2.62	0.00 2.40 0.07 0.20 1.20 0.21 0.14 1.29 0.00				
KC-135A	R01	R02					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	1.21 0.92 1.35 0.89 2.54 0.63 0.46 0.54 0.54	2.29 3.92 3.49 2.21 5.35 1.53 0.68 1.32 1.28 1.26					

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke
- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/LANDING AND TAXI

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE		PARAMETER I.D. NUMBER							
7 ACFT. COMPOSITE	F03	F04	•						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6.00 6.00 34.00 8.00 15.00 9.50 12.00	171.74 508.90 6336.00 500.00 1206.00 793.00 600.00							
B-52G									
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith									
KC-135A									
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith			•						

- 1. F-15A Luke
- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/LANDING AND TAXI

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	011	013					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3750.00 7500.00 2750.00 1600.00 2600.00 3500.00	223.10 284.70 1329.80 233.10 420.82 331.13 428.20					
B-52G					_		
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/LANDING AND TAXI

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E16	E17					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	84.00 136.00 146.00 105.00 93.70 93.70 140.80	20.00 27.00 74.00 14.00 22.50 22.50 42.20					
B-52G	E14	E18					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	26.00 23.00 49.00 36.00 27.00 39.00 64.00 32.00 37.00 14.00	2.00 5.00 1.00 2.00 6.00 3.00 5.00 1.00 5.00 4.00					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/LANDING AND TAXI

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M09	M14					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	36.17 17.09 91.29 2.77 28.46 26.33 4.54	35.56 83.90 35.53 4.67 56.14 32.88 13.56					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	M02	M03	M05				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10	6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30				

- 1. F-15A Luke

- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - EXTERIOR LIGHTING/LANDING AND TAXI

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE		PARAMETER I.D. NUMBER							
7 ACFT. COMPOSITE	G08					_			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	85.70 201.20 98.10 92.50 122.00 111.23 67.90								
B-52G									
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·							
KC-135A									
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith									

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- 5. B-52G - Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-15-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.34 3.81 1.28 0.00 11.02 4.91 0.80	11.26 47.38 20.55 1.26 69.50 30.25 8.43	1.83 1.47 7.00 0.05 3.68 1.14 1.13				
B-52G	R01	R03					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	10.62 14.87 23.64 11.60 10.13 9.93 12.50 6.67 4.29 6.00	4.17 1.20 2.07 2.00 1.60 4.57 2.36 2.07 1.71 15.00					
KC-135A	R01	R02	R03		,		
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	3.25 10.33 8.55 4.52 4.15 2.07 5.38 1.77 0.62 8.43	30.10 41.78 32.80 31.87 20.69 17.57 37.08 26.22 17.04 47.31	2.13 0.92 1.58 1.30 0.69 0.44 1.00 0.85 1.00				

- F-15A Luke
- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - HYDRAULIC/PUMPS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	 	
7 ACFT. COMPOSITE	F04	F13					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	462.00 480.00 416.00 900.00 1423.00 942.00 236.00	1.28 0.00 6.69 0.05 0.00 0.16 0.19					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							,
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-15-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	004	007	008	012	013	028	029	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3500.00 3800.00 3800.00 1700.00 8750.00 9500.00 2700.00	350.00 440.00 230.00 240.00 450.00 410.00 323.75		31.50 60.00 165.00 30.00 240.00 127.50 9.50	223.10 284.70 1329.80 233.10 420.82 331.13 428.20	2.00 2.00 7.00 1.00 9.00 6.00 2.00	1.26 3.75 3.76 1.90 8.26 4.95 1.38	
B-52G	013	017	021	-				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	394.10 358.10 738.60 365.30 363.70 388.10 404.00 396.00 402.10 398.20	133.30 120.80 398.60 131.50 122.70 102.10 140.40 118.90 109.80 121.40	51.30 47.30 93.30 44.20 48.40 51.30 53.40 50.60 49.49					
KC-135A								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								

- F-15A Luke

- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases) 5.
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-15-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E03	E04	E05	E11	E17		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 89.00 0.00 3.00 43.50 43.50 5.60	0.00 59.90 0.00 0.70 40.86 40.86 4.40	0.00 9.90 0.00 0.35 6.27 6.27 2.97	0.00 8.00 0.00 1.00 9.00 9.00 2.60	20.00 27.00 74.00 14.00 22.50 22.50 42.20		
B-52G	E17						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	23.00 20.00 15.00 26.00 32.00 25.00 12.00 20.00 17.00 35.00						
KC-135A	E04	E05	E15				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.50 10.50 0.00 47.30 142.30 160.50 0.00 2.40 0.00 45.10	0.50 3.50 0.00 9.46 20.33 20.06 0.00 2.40 0.00 6.44	237.00 189.00 243.00 198.00 167.00 186.00 237.00 212.00 215.00 178.00			•	

- 1. F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-15-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	M06	M07	M08	M09	M10	M11	M14	M15
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.25 5.00 2.00 1.80 8.00 4.00 3.00	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.15 799.32 99.49 944.88 334.06 77.35	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49	32.48 75.52 63.98 42.41 125.32 65.69 7.46	35.56 83.90 35.53 4.67 56.14 32.88 13.56	
B-52G	M02	M03	M04					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	54.70 43.20 19.90 46.70 36.60 39.10 42.40 50.90 50.30 40.00	40.00 44.50 67.00 44.60 58.70 54.00 46.80 39.10 44.70 54.30	5.30 12.30 13.10 8.70 4.70 6.90 10.80 10.00 5.00 5.70					
KC-135A	M15							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	191.08 130.40 177.18 98.09 158.16 141.29 146.91 194.90 100.51 839.05							

- 1. F-15A Luke
- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-15-6

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	G04	G05	G09	G10	G11	G12	G15	G16
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	500.00 1143.00 3166.00 467.86 4880.00 2970.00 117.00	608.00 655.50 3244.00 506.00 4000.00 2313.40 170.00	5.00 17.00 18.00 4.00 25.00 25.00 15.67	2.00 2.00 4.00 2.00 8.00 4.00 2.00	604.20 824.20 1860.00 285.40 3096.00 1728.00 116.80	4800.00 4070.00 8400.00 1813.00 8960.00 5500.00 770.00	46.02 60.70 19.65 16.28 83.41 46.20 8.30	1.27 3.13 2.10 0.59 4.88 3.77 1.00
B-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·						
KC-135A								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-16-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.45 5.50 5.41 1.11 9.06 10.94 0.39	29.71 181.78 24.93 87.43 83.76 71.37 16.65	0.34 0.19 0.06 0.79 0.29 0.11 0.37				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	R01	R02					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	21.79 4.50 23.26 2.04 9.77 13.56 12.77 16.77 0.46 4.43	83.06 40.31 51.86 61.02 105.30 93.56 51.07 152.33 19.42 55.78					

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - FUEL/INTERNAL TANKS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	F04						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	177.00 142.58 688.60 65.80 2553.80 1207.20 58.30						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					·
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Trayis
- 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-16-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	004	006	008	012	027	028	029	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3500.00 3800.00 3800.00 1700.00 8750.00 9500.00 2700.00	4000.00 2400.00 1400.00 4000.00 1500.00 1750.00 4000.00	2000.00 1250.00 1950.00 408.75 3300.00 2500.00 1175.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	7000.00 6000.00 3000.00 4420.00 3500.00 3000.00 5500.00	2.00 2.00 7.00 1.00 9.00 6.00 2.00	1.26 3.75 3.76 1.90 8.26 4.95 1.38	·
B-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·						
KC-135A	013	017	021					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 690.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.20 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20					

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-16-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E03	E04	E05	E06	E10	E11	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 89.00 0.00 3.00 43.50 43.50 5.60	0.00 59.90 0.00 0.70 40.86 40.86 4.40	0.00 9.90 0.00 0.35 6.27 6.27 2.97	50.00 145.00 69.00 121.00 128.70 128.70 108.20	19.00 25.00 7.00 51.00 34.70 34.70 48.00	0.00 8.00 0.00 1.00 9.00 9.00 2.60	
8-52G						-	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	E06	E13	E15	E16	E18	E21	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	117.00 136.00 69.00 140.00 171.00 146.00 79.00 125.00 144.00 160.00	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00	237.00 189.00 243.00 198.00 167.00 186.00 237.00 212.00 215.00 178.00	77.00 125.00 54.00 95.00 127.00 110.00 47.00 84.00 88.00 130.00	2.00 5.00 1.00 2.00 6.00 3.00 5.00 1.00 5.00 4.00	36.83 36.92 41.08 25.25 16.50 16.50 40.92 14.42 36.08 20.00	

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-16-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M07	M11	M12	M14	M15		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	32.48 75.52 63.98 42.41 125.32 65.69 7.46	0.03 2.00 0.01 0.00 0.00 0.11 0.17	35.56 83.90 35.53 4.67 56.14 32.88 13.56	10.40 19.40 70.06 1.81 216.83 217.36 9.66		
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	M12						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.16 0.11 0.15 0.08 0.13 0.12 0.12 0.16 0.08 0.11						

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-16-6

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	G03	G04	G05	G08	G09	G10	G11	G16
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	400.00 470.58 1363.00 198.56 1684.49 971.91 77.70	500.00 1143.00 3166.00 467.86 4880.00 2970.00 117.00	608.00 655.50 3244.00 506.00 4000.00 2313.40 170.00	85.70 201.20 98.10 92.50 122.00 111.23 67.90	5.00 17.00 18.00 4.00 25.00 25.00 15.67	2.00 2.00 4.00 2.00 8.00 4.00 2.00	604.20 824.20 1860.00 285.40 3096.00 1728.00 116.80	1.27 3.13 2.10 0.59 4.88 3.77 1.00
B-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·						
KC-135A	G15	 						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	56.00 41.67 29.43 41.09 55.42 51.61 49.06 53.40 36.02 48.72							

- F-15A Luke

- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach
- B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-17-1 SUBSYSTEM/EQUIPMENT - LIQUID OXYGEN/REGULATORS

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.34 2.63 4.53 0.05 2.30 2.08 0.76	2.01 3.81 12.22 0.47 22.47 13.15 3.86	0.34 1.22 1.03 0.11 1.90 1.57 1.35				
B-52G	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	2.00 1.00 4.71 2.47 2.67 2.14 2.86 1.57 1.27	20.44 9.88 71.35 13.76 20.89 15.84 22.53 33.39 11.57 5.00	1.83 0.93 3.93 2.00 2.47 1.64 2.21 2.00 1.14 0.80				
KC-135A	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.83 1.42 0.26 0.48 0.31 1.67 0.38 0.23 0.15 0.29	4.71 6.87 2.65 2.45 3.44 5.81 1.69 1.25 0.97 0.60	0.08 0.17 0.16 0.19 0.56 0.08 0.08 0.00				

- F-15A Luke

- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

A-17-2 TABLE

SUBSYSTEM/EQUIPMENT - LIQUID OXYGEN/REGULATORS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	F09	F16	F17				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	90.00 95.00 100.00 95.00 95.00 95.00	4.00 7.00 7.00 1.00 6.00 5.00 0.00	120.00 150.00 305.00 90.00 300.00 450.00 110.00				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-17-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	004	008	012	013	028	029	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3500.00 3800.00 3800.00 1700.00 8750.00 9500.00 2700.00	2000.00 1250.00 1950.00 408.75 3300.00 2500.00 1175.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	223.10 284.70 1329.80 233.10 420.82 331.13 428.20	2.00 2.00 7.00 1.00 9.00 6.00 2.00	1.26 3.75 3.76 1.90 8.26 4.95 1.38	
B-52G	013	017	021				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	394.10 358.10 738.60 365.30 363.70 388.10 404.00 396.00 402.10 398.20	133.30 120.80 398.60 131.50 122.70 102.10 140.40 118.90 109.80 121.40	51.30 47.30 93.30 44.20 48.80 48.40 51.30 53.40 50.60 49.40				
KC-135A	013	017	021	025			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20	24.00 12.00 31.00 27.00 13.00 27.00 13.00 14.00 14.00			

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-17-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE		PARAMETER I.D. NUMBER							
7 ACFT. COMPOSITE	E11	E17							
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 8.00 0.00 1.00 9.00 9.00 2.60	20.00 27.00 74.00 14.00 22.50 22.50 42.20							
B-52G	E10	E13	E15						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	55.00 62.00 3.00 10.00 31.00 23.00 8.00 49.00 57.00 49.00	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00	237.00 189.00 243.00 198.00 167.00 186.00 237.00 212.00 215.00 178.00						
KC-135A									
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith									

- 1. F-15A Luke
 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-17-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	M06	M07	M08	M09	M10	M11	M15	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.25 5.00 2.00 1.80 8.00 4.00 3.00	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 334.06 77.35	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49	32.48 75.52 63.98 42.41 125.32 65.69 7.46	10.40 19.40 70.06 1.81 216.83 217.36 9.66	
B-52G	M02	M04						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	54.70 43.20 19.90 46.70 36.60 39.10 42.40 50.90 50.30 40.00	5.30 12.30 13.10 8.70 4.70 6.90 10.80 10.00 5.00 5.70						
KC-135A								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-17-6

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	G02	G04	G09	G10	G12	G16	G17	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6.00 9.00 14.00 5.00 19.00 21.00 18.00	500.00 1143.00 3166.00 467.86 4880.00 2979.00 117.00	5.00 17.00 18.00 4.00 25.00 25.00	2.00 2.00 4.00 2.00 8.00 4.00 2.00	4800.00 4070.00 8400.00 1813.00 8960.00 5500.00 770.00	1.27 3.13 2.10 0.59 4.88 3.77 1.00	6.00 11.00 15.00 5.00 22.00 14.00 19.00	
B-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·						
KC-135A	G15	G16						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	56.00 41.67 29.43 41.09 55.42 51.61 49.06 53.40 36.02 48.72	4.82 4.28 2.33 4.15 4.91 3.63 4.34 2.50 2.17 2.58						

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-18-1

SUBSYSTEM/EQUIPMENT - LIQUID OXYGEN/CONVERTERS

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	• · · · · · · · · · · · · · · · · · · ·	
7 ACFT. COMPOSITE	RO1	RG2	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.38 0.50 0.47 0.16 3.90 0.60 0.43	1.43 10.75 4.45 1.87 30.93 3.04 4.00	0.14 1.00 0.13 0.16 2.30 0.15 0.26				
B-52G						_	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	R01	R02	RO3				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	3.25 1.83 4.19 2.00 1.46 1.41 1.00 1.85 2.92 0.93	18.50 15.08 29.17 8.57 10.26 6.47 6.33 12.75 20.65 3.67	1.75 2.17 2.10 1.67 1.08 0.85 0.77 1.15 3.62 0.57				

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-18-2

SUBSYSTEM/EQUIPMENT - LIQUID OXYGEN/CONVERTERS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	F02	F08					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	9.00 8.00 8.00 11.00 14.00 8.00	5.00 5.00 8.00 5.00 15.00 4.00 6.00					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A				_			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-18-3

SUBSYSTEM/EQUIPMENT - LIQUID OXYGEN/CONVERTERS

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	008	012	028	029			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	2000.00 1250.00 1950.00 408.75 3300.00 2500.00 1175.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	2.00 2.00 7.00 1.00 9.00 6.00 2.00	1.26 3.75 3.76 1.90 8.26 4.95 1.38			
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	025						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	24.00 12.00 31.00 27.00 13.00 13.00 13.00 14.00						

- F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- B-52G Composite (10 Bases) 5.
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-18-5

SUBSYSTEM/EQUIPMENT - LIQUID OXYGEN/CONVERTERS

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M06	M07	M08	M11			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.25 5.00 2.00 1.80 8.00 4.00 3.00	621.57 1501.72 208.07	242.44 325.14 799.32 99.49 944.88 334.06 77.35	32.48 75.52 63.98 42.41 125.32 65.69 7.46			
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-18-6

SUBSYSTEM/EQUIPMENT - LIQUID OXYGEN/CONVERTERS

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	 	
7 ACFT. COMPOSITE	G04	G10	G11	G15	G16		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	500.00 1143.00 3166.00 467.86 4880.00 2970.00 117.00	2.00 2.00 4.00 2.00 8.00 4.00 2.00	604.20 824.20 1860.00 285.40 3096.00 1725.00 116.28	46.02 60.70 19.65 16.28 83.41 46.20 8.30	1.27 3.13 2.10 0.59 4.88 3.77 1.00		
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	=						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-19-1

SUBSYSTEM/EQUIPMENT - FIRE DETECTION/SENSORS

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	R01	R02	R03				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.21 0.72 5.41 0.21 1.20 13.31 0.22	4.00 17.68 12.56 4.00 3.49 21.29 1.44	0.24 2.81 1.47 0.24 0.05 2.52 0.03				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	R01	R02	R03				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	17.17 17.42 35.06 10.41 15.62 6.26 1.38 13.92 2.77 13.07	29.29 34.09 28.63 16.80 29.32 10.86 2.26 18.70 7.72 35.24	0.79 6.83 4.06 2.11 3.77 0.63 0.08 1.69 0.62 4.64				

- F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases) KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-19-3

SUBSYSTEM/EQUIPMENT - FIRE DETECTION/SENSORS

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	004	011					·
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3500.00 3800.00 3800.00 1700.00 8750.00 9500.00 2700.00	3750.00 7500.00 2750.00 1600.00 2600.00 3500.00					
B-52G						_	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	013	017	021	031			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20	0.13 0.00 0.13 0.04 0.15 0.07 0.23 0.08 0.31 0.00	:		

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-19-4

SUBSYSTEM/EQUIPMENT - FIRE DETECTION/SENSORS

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E03						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 89.00 0.00 3.00 43.50 43.50 5.60						
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	E14	E16	E17				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	26.00 23.00 49.00 36.00 27.00 39.00 64.00 32.00 37.00 14.00	77.00 125.00 54.00 95.00 127.00 110.00 47.00 84.00 88.00 130.00	23.00 20.00 15.00 26.00 32.00 25.00 12.00 20.00 17.00 35.00				

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-19-5

SUBSYSTEM/EQUIPMENT - FIRE DETECTION/SENSORS

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE		 PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M05					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	517.90 1054.27 820.71 81.04 257.55 5812.18 160.22					
B-52G						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith						
KC-135A	M05					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30					

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-19-6

SUBSYSTEM/EQUIPMENT - FIRE DETECTION/SENSORS

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	G08		:				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	85.70 201.20 98.10 92.50 122.00 111.23 67.90					•	
8-52G						-	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	_						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-20-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A01	A20	A21				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.55 1.41 1.38 0.26 1.56 0.35 1.50	3.78 8.76 4.72 1.62 6.93 1.23 3.87	0.24 0.88 0.72 0.26 1.00 0.13 0.93				
B-52G	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.97 1.33 2.50 0.93 2.73 1.64 1.43 1.86 0.79 1.42	3.60 5.74 8.06 3.60 10.58 5.63 6.65 8.76 6.73 9.88	0.72 0.93 1.07 0.13 1.47 1.07 1.07 1.64 0.79 1.14				
KC-135A	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.33 0.08 1.06 0.44 0.46 0.26 0.23 0.31 0.21	0.64 0.42 2.83 1.50 1.72 0.94 0.85 0.92 1.72 0.79	0.08 0.08 0.26 0.19 0.23 0.04 0.15 0.08 0.08				

- 1. F-15A Luke
- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-20-2

SUBSYSTEM/EQUIPMENT - INSTRUMENTS/FLIGHT INDICATORS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	 	
7 ACFT. COMPOSITE	A03	A19					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	2.00 1.50 2.00 150.00 3.00 1.00 2.00	34.54 137.87 97.79 1.62 27.00 22.92 35.27					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-20-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	003	007	011	026			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	150.00 165.00 130.00 130.00 156.00 150.00 155.00	350.00 440.00 230.00 240.00 450.00 410.00 323.75	3750.00 7500.00 2750.00 1600.00 2600.00 3500.00	2.30 2.50 0.83 0.41 0.83 0.90 1.30			
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	013	017	021	025			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.59 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20	24.00 12.00 31.00 27.00 13.00 27.00 13.00 13.00 13.00			

- F-15A Luke
- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-20-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE		_	PARA	METER I.D	. NUMBER		<u> </u>	
7 ACFT. COMPOSITE	E03	E04	E05	E13	E16	E17		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 89.00 0.00 3.00 43.50 43.50 5.60	0.00 59.90 0.00 0.70 40.86 40.86	50.00 145.00 69.00 121.00 128.70 128.70 108.20	360.00 360.00 225.00 180.00 243.00 243.00 171.00	84.00 136.00 146.00 105.00 93.70 93.70 140.80	20.00 27.00 74.00 14.00 22.50 22.50 42.20	,	
8-52G	E02	E13						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	177.00 251.00 188.00 2472.00 504.00 756.00 96.00 294.00 119.00 634.00	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00						
KC-135A	E10	E12						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	55.00 62.00 3.00 10.00 31.00 23.00 8.00 49.00 57.00 49.00	170.00 166.00 98.00 96.00 142.00 114.00 107.00 187.00 193.00 134.00						

- 1. F-15A Luke

- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-20-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M06	M08	M11	M14			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.25 5.00 2.00 1.80 8.00 4.00 3.00	242.44 325.14 799.32 99.49 944.85 334.06 77.35	32.48 75.52 63.98 42.41 125.32 65.69 7.46	35.56 83.90 35.53 4.67 56.14 32.88 13.56			
B-52G	M02	M04					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	54.70 43.20 19.90 46.70 36.60 39.10 42.40 50.90 50.30 40.00	5.30 12.30 13.10 0.70 4.70 6.90 10.80 10.00 5.00 5.70					
KC-135A	M02	M03	MO4	M05			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10	11.10 7.90 3.10 3.50 3.70 4.70 5.70 5.70 4.40 3.70	6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30			

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-20-6

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	G08	G09	G15	G17			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	85.70 201.20 98.10 92.50 122.00 111.23 67.90	5.00 17.00 18.00 4.00 25.00 25.00 15.67	46.02 60.70 19.65 16.28 83.41 46.20 8.30	6.00 11.00 15.00 5.00 22.00 14.00 19.00			
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·	•				
KC-135A	G15	G16					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	56.00 41.67 29.43 41.09 55.42 51.61 49.06 53.40 36.02 48.70	3.63 4.34 2.50					

- F-15A Luke
- 2. FB-111A - Plattsburg
- 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-21-1

SUBSYSTEM/EQUIPMENT - INSTRUMENTS/AIR DATA INDICATING

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A01	A20	A21				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.45 2.63 6.43 0.21 2.27 0.96 0.71	35.83 69.72 54.83 2.91 20.58 5.12 2.90	1.55 4.03 5.47 0.16 1.83 0.46 0.54				
B-52G	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	1.45 1.53 2.29 1.13 2.13 2.29 1.50 2.65 1.64 6.00	11.40 12.85 18.30 15.50 16.81 20.76 16.06 23.39 11.33 59.72	1.07 1.40 2.36 1.07 1.20 1.50 0.86 2.64 1.79 4.42				
KC-135A	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.54 0.92 1.29 0.96 2.15 0.52 0.31 0.85 1.08 1.00	2.84 5.28 5.55 3.96 11.65 2.66 4.39 4.02 3.75 3.14	0.13 0.42 0.55 0.37 0.92 0.22 0.38 0.77 0.38 0.50				

- F-15A Luke

- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-21-2

SUBSYSTEM/EQUIPMENT - INSTRUMENTS/AIR DATA INDICATING

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A02	A03	A04	A05	A17	A19	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3.00 3.00 3.00 3.00 1.00 1.00 2.00	16.30 47.50 40.00 15.00 10.00 3.00 6.00	641.50 2156.60 608.00 864.00 576.00 640.00 448.00	19.00° 20.00 1.00 1.00 1.00 1.00	75.00 50.00 300.00 100.00 150.00 0.00 20.00	43.91 38.07 113.68 30.00 30.00 8.10 23.14	
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-21-3

SUBSYSTEM/EQUIPMENT - INSTRUMENTS/AIR DATA INDICATING

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	002	011	012	013	026	028	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.80 2.05 2.13 2.10 1.10 1.20 1.00	3750.00 7500.00 2750.00 1600.00 2600.00 3500.00 3500.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	223.10 284.70 1329.80 233.10 420.82 331.13 428.20	2.30 2.50 0.83 0.41 0.83 0.90 1.30	2.00 2.00 7.00 1.00 9.00 6.00 2.00	
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-21-4

SUBSYSTEM/EQUIPMENT - INSTRUMENTS/AIR DATA INDICATING

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E13	E16	E17				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	360.00 360.00 225.00 180.00 243.00 243.00 171.00	84.00 136.00 146.00 105.00 93.70 93.70 140.80	20.00 27.00 74.00 14.00 22.50 22.50 42.20				
B-52G	E17						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	23.00 20.00 15.00 26.00 32.00 25.00 12.00 20.00 17.00 35.00	·					
KC-135A	E13	E17	E18				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00 225.00	15.00 26.00 32.00 25.00 12.00 20.00 17.00	2.00 5.00 1.00 2.00 6.00 3.00 5.00 1.00 4.00				

- 1. F-15A Luke
- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-21-5

SUBSYSTEM/EQUIPMENT - INSTRUMENTS/AIR DATA INDICATING

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		_
7 ACFT. COMPOSITE	M07	M08	M09	M10	M12	M14	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 334.06 77.35	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49	0.03 2.00 0.01 0.00 0.00 0.11 0.17	35.56 83.90 35.53 4.67 56.14 32.88 13.56	
B-52G	M05						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	130.35 124.85 183.14 116.06 121.33 140.35 126.24 122.37 117.46 1393.36						
KC-135A	M02	M03					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10				·	

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-21-6

SUBSYSTEM/EQUIPMENT - INSTRUMENTS/AIR DATA INDICATING

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	 	
7 ACFT. COMPOSITE	G03	G05	G08	G12			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	400.00 470.58 1363.00 198.56 1684.49 971.91 77.70	608.00 655.50 3244.00 506.00 4000.00 2313.40 170.00	85.70 201.20 98.10 92.50 122.00 111.23 67.90	4800.00 4070.00 8400.00 1813.00 8960.00 5500.00 770.00			
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke
 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-22-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A01	A20	A21				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.72 1.31 2.50 0.37 3.00 1.88 1.73	8.97 7.98 14.77 3.72 15.06 8.27 5.61	0.79 1.56 2.00 0.63 2.57 1.59 1.60				
B-52G	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	2.52 3.40 4.50 3.73 2.87 2.50 2.36 4.36 1.71 2.00	13.06 14.73 17.05 24.57 15.64 12.13 10.80 19.17 14.44 9.00	2.34 1.73 3.64 3.40 3.00 1.64 1.93 4.29 1.71 2.00				
KC-135A	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	2.38 1.93 3.48 0.93 2.54 1.11 1.69 2.46 1.31 1.00	10.56 10.55 12.77 4.04 11.71 4.86 8.27 7.61 8.78 3.54	2.00 1.42 2.74 0.74 2.23 0.85 1.62 1.92 1.38 1.00				

- 1. F-15A Luke
 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-22-2

SUBSYSTEM/EQUIPMENT - INSTRUMENTS/HSI

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		7	
7 ACFT. COMPOSITE	A17				_			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	200.00 66.67 400.00 10.00 16.67 0.00 20.00							
B-52G						-		
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·						
KC-135A								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-22-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	004	006	800	012	013	027	028	029
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3500.00 3800.00 3800.00 1700.00 8750.00 9500.00 2700.00	4000.00 2400.00 1400.00 4000.00 1500.00 1750.00 4000.00	2000.00 1250.00 1950.00 408.75 3300.00 2500.00 1175.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	223.10 284.70 1329.80 233.10 420.82 331.13 428.20	7000.00 6000.00 3000.00 4420.00 3500.00 3000.00 5500.00	2.00 2.00 7.00 1.00 9.00 6.00 2.00	1.26 3.75 3.76 1.90 8.26 4.95 1.38
B-52G	017	021						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	133.30 120.80 398.60 131.50 122.70 102.10 140.40 118.90 109.80 121.40	51.30 47.30 93.30 44.20 48.80 48.40 51.30 53.40 50.60 49.40						
KC-135A	013	017	021					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20					

- F-15A Luke
- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-22-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E11						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 8.00 0.00 1.00 9.00 9.00 2.60						
B-52G	E02	E13	E18				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	177.00 251.00 188.00 2472.00 504.00 756.00 96.00 294.00 119.00 634.00	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00	2.00 5.00 1.00 2.00 6.00 3.00 5.00 1.00 5.00 4.00				
KC-135A	E03	E20	E22				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	3.00 15.00 2.00 77.00 111.00 114.00 0.00 3.00 5.00 105.00	67.50 60.58 61.67 47.42 45.67 39.25 60.92 64.92 62.08 45.00	87.58 82.83 85.83 71.50 72.42 64.42 85.33 86.00 85.67 70.92				

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-22-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	M03	M06	M07	M08	M09	M10	M11	M15
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	47.20 33.00 33.60 23.60 49.37 32.97 24.56	1.25 5.00 2.00 1.80 8.00 4.00 3.00	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 334.06 77.35	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49	32.48 75.52 63.98 42.41 125.32 65.69 7.46	10.40 19.40 70.06 1.81 216.53 217.36 9.66
B-52G	MO4				•			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	5.30 12.30 13.10 8.70 4.70 6.90 10.80 10.00 5.00	·						
KC-135A	M02	M03	M05	M07				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10	6319.40 5017.30	1166.29 795.98 1081.44 598.69 965.35 862.39 896.68 1165.45 613.50 839.05				

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke
- FB-111A Plattsburg
- 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-22-6

SUBSYSTEM/EQUIPMENT -

INSTRUMENTS/HSI

GENERIC PARAMETER CLASS:

(AIRCRAFT GENERAL)

DATA CASE ACFT/BASE	<u>-</u>		PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	G02	G04_	G05	G09	G10	G12	G16	G17
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6.00 9.00 14.00 5.00 19.00 21.00 18.00	500.00 1143.00 3166.00 467.86 4880.00 2970.00 117.00	608.00 655.50 3244.00 506.00 4000.00 2313.40 170.00	5.00 17.00 18.00 4.00 25.00 25.00 15.67	2.00 4.00 2.00 8.00	4800.00 4070.00 8400.00 1813.00 8960.00 5500.00 770.00	1.27 3.13 2.10 0.59 4.88 3.77 1.00	6.00 11.00 15.00 5.00 22.00 14.00 19.00
B-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·						
KC-135A								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-23-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A01	A20	A21				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.86 1.21 2.50 0.42 5.73 2.22 0.76	25.80 41.51 20.64 6.66 64.50 25.56 5.50	0.69 3.78 3.09 0.32 6.72 2.48 0.41				
B-52G	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	5.97 2.80 9.79 4.27 5.07 3.00 8.00 7.21 4.21 7.00	50.80 22.55 119.14 40.05 65.06 57.31 124.50 63.50 48.71 53.30	5.62 3.07 11.29 5.33 5.67 4.57 9.57 8.21 5.71 8.14				
KC-135A	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	2.67 1.00 3.94 1.07 2.77 1.11 3.77 3.31 0.62 1.93	25.08 10.40 49.31 13.79 38.13 18.90 40.88 28.23 12.52 18.36	2.38 1.17 4.81 1.74 2.54 1.56 3.39 3.85 1.31 2.07				

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-23-2

AUTOPILOT SUBSYSTEM/EQUIPMENT -

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	 	
7 ACFT. COMPOSITE	A03	A04	A07	A13	A14		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	11.76 21.00 1.00 4.50 41.00 27.00 4.33	2513.70	1.00 2.00 1.00 1.00 4.00 4.00	1.23 4.00 3.70 1.80 8.10 5.70 0.82	50.00 10.00 50.00 27.50 75.00 25.00		
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-23-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	003	004	006	012	027	028	029	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	150.00 165.00 130.00 130.00 156.00 150.00 155.00	3500.00 3800.00 3800.00 1700.00 8750.00 9500.00 2700.00	4000.00 2400.00 1400.00 4000.00 1500.00 1750.00 4000.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	7000.00 6000.00 3000.00 4420.00 3500.00 3000.00 5500.00	2.00 2.00 7.00 1.00 9.00 6.00 2.00	1.26 3.75 3.76 1.90 8.26 4.95 1.38	
B-52G	013	017	021					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	394.10 358.10 738.60 365.30 363.70 388.10 404.00 396.00 402.10 398.20	133.30 120.80 398.60 131.50 122.70 102.10 140.40 118.90 109.80 121.40	51.30 47.30 93.30 44.20 48.80 48.40 51.30 53.40 50.60 49.40					
KC-135A	013	017	021					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20					

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-23-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARAI	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	E03	E04	E05	E11				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 89.00 0.00 3.00 43.50 43.50 5.60	0.00 59.90 0.00 0.70 40.86 40.86 4.40	0.00 9.90 0.00 0.35 6.27 6.27 2.97	0.00 8.00 0.00 1.00 9.00 9.00 2.60				
B-52G	E07	E09	E10	E11	E14	E15	E16	E17
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	117.00 136.00 69.00 140.00 171.00 146.00 79.00 125.00 144.00 160.00	46.00 55.00 63.00 64.00 48.00 54.00 55.00	55.00 62.00 3.00 10.00 31.00 23.00 8.00 49.00 57.00 49.00	3.00 7.00 0.00 25.00 20.00 20.00 0.00 2.00 4.00 9.00	26.00 23.00 49.00 36.00 27.00 39.00 64.00 32.00 37.00 14.00	237.00 189.00 243.00 198.00 167.00 186.00 237.00 212.00 215.00 178.00	125.00 54.00 95.00 127.00 110.00 47.00 84.00 88.00	17.00
KC-135A	E06	E09	E10	E11	E15			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	117.00 136.00 69.00 140.00 171.00 146.00 79.00 125.00 144.00 160.00	46.00 55.00 63.00 64.00 48.00 54.00 55.00	55.00 62.00 3.00 10.00 31.00 23.00 8.00 49.00 57.00 49.00	3.00 7.00 0.00 25.00 20.00 20.00 2.00 4.00 9.00	237.00 189.00 243.00 198.00 167.00 186.00 237.00 212.00 215.00 178.00			

- F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-23-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE		PARAMETER I.D. NUMBER							
7 ACFT. COMPOSITE	M03	M06	M07	M08	M10	M11	M14	M15	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	47.20 33.00 33.60 23.60 49.37 32.97 24.56	1.25 5.00 2.00 1.80 8.00 4.00 3.00	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 334.06 77.35	125.46 86.07 441.33 37.66 335.46 291.92 78.49	32.48 75.52 68.98 42.41 125.32 65.69 7.46	4.67 56.14 32.88	10.40 19.40 70.06 1.81 216.83 217.36 9.66	
B-52G	M02	M03							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	54.70 43.20 19.90 46.70 36.60 39.10 42.40 50.90 50.30 40.00	40.00 44.50 67.00 44.60 58.70 54.00 46.80 39.10 44.70 54.30							
KC-135A	M02	M03	M05	M07	M08				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 30.50 29.10 25.60 35.00 29.10	6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30	1166.29 795.98 1081.44 598.69 965.35 862.39 896.68 1165.45 613.50 839.05	433.64 295.93 402.09 222.60 358.93 320.64 333.39 433.33 228.11 311.97				

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-23-6

SUBSYSTEM/EQUIPMENT - AUTOPILOT

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	G02	G03	G06	G08	G09	G12	G15	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6.00 9.00 14.00 5.00 19.00 21.00 18.00	400.00 470.00 1363.00 198.56 1684.49 971.91 77.70	3.00 1.57 7.90 6.54 8.55 7.06 3.75	85.70 201.20 98.10 92.50 122.00 11.23 67.90	5.00 17.00 18.00 4.00 25.00 25.00 15.67	4800.00 4070.00 8400.00 1813.00 8960.00 5500.00 770.00	46.02 60.70 19.65 16.28 83.41 46.20 8.30	
B-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								
KC-135A								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke
- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-24-1

SUBSYSTEM/EQUIPMENT - UHF COMMUNICATIONS

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A01	A20	A21				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6.76 6.25 31.56 1.53 7.09 10.95 8.60	69.50 108.84 284.83 6.14 77.99 108.42 39.72	3.21 4.63 11.47 0.37 5.42 6.49 6.38				
B-52G	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	10.48 6.07 9.50 6.60 5.13 8.71 5.93 6.79 7.36 5.28	83.15 87.18 98.03 84.21 58.58 153.27 87.27 91.39 111.01 79.08	6.28 4.93 6.00 5.00 4.60 6.07 5.14 5.86 6.43 3.86				
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-24-2

SUBSYSTEM/EQUIPMENT - UHF COMMUNICATIONS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	 	
7 ACFT. COMPOSITE	A03	A04	A17				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	28.70 28.70 55.00 9.25 45.00 45.00	884.90 888.19 1760.00 241.60 1572.48 1583.91 1583.90	50.00 10.00 1000.00 50.00 12.50 16.67 200.00				
B-52G				•			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					·
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - UHF COMMUNICATIONS

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	 	
7 ACFT. COMPOSITE	006	013	017	021	028		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	4000.00 2400.00 1400.00 4000.00 1500.00 1750.00 4000.00	223.10 284.70 1329.80 283.10 420.82 331.13 428.20	281.80 166.40 781.90 122.60 149.95 224.70 1083.34	164.90 76.80 366.70 122.60 53.80 65.64 346.88	2.00 2.00 7.00 1.00 9.00 6.00 2.00		
B-52G	025						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	29.00 15.00 14.00 15.00 14.00 14.00 14.00 14.00						
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-24-4

SUBSYSTEM/EQUIPMENT - UHF COMMUNICATIONS

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE			DADA	METER I.D	MINED	 ·	
ACFT/BASE			PARA	MEIER I.D	. NUMBER		
7 ACFT. COMPOSITE	E16	E17					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	84.00 136.00 146.00 105.00 93.70 93.70 140.80	20.00 27.00 74.00 14.00 22.50 22.50 42.20					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith			;// ;//				
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-24-5

SUBSYSTEM/EQUIPMENT - UHF COMMUNICATIONS

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M07	M08	M09	M10		_	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 344.06 77.35	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49			
B-52G						,	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-24-6

SUBSYSTEM/EQUIPMENT - UHF COMMUNICATIONS

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	G02	G03	G05	G09	G12	G17	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6.00 9.00 14.00 5.00 19.00 21.00 18.00	400.00 470.58 1363.00 198.56 1684.49 971.91 77.70	3244.00 506.00 4000.00 2313.40	5.00 17.00 18.00 4.00 25.00 25.00 15.67	4800.00 4070.00 8400.00 1813.00 8960.00 5500.00 770.00	6.00 11.00 15.00 5.00 22.00 14.00 19.00	
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith						·	

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-25-1

SUBSYSTEM/EQUIPMENT - IFF/TRANSPONDER SET

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A01	A20	A21				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.97 3.25 2.69 1.58 1.80 1.39	24.53 88.30 33.05 12.42 27.87 19.80 7.01	0.90 3.31 1.69 0.63 1.86 1.30				
B-52G	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	1.55 1.00 2.50 0.66 2.73 2.43 1.43 3.21 1.65 1.42	20.48 17.45 23.51 8.24 44.47 32.10 51.34 37.78 20.46 22.60	1.55 1.00 2.50 0.66 2.73 2.43 1.43 3.21 1.65		,		
KC-135A	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	1.46 1.42 2.90 0.48 0.77 1.82 0.62 1.00 1.46 2.00	14.67 16.63 28.98 4.36 25.75 21.13 24.83 10.53 22.67 28.44	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20				

- 1. F-15A Luke 2. FB-111A Plattsburg
- 3. C-141A Travis
- 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases) 5.
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - IFF/TRANSPONDER SET

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A02	A03	A08	A12			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3.00 7.00 3.00 2.00 3.00 1.00 2.00	14.00 29.00 31.00 14.40 20.00 20.00 30.00	3.00 4.00 4.00 3.00 4.00 4.00	1.00 10.00 0.00 2.00 10.00 10.00 0.00			
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke
- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-25-3

SUBSYSTEM/EQUIPMENT - IFF/TRANSPONDER SET

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	002	003	007	011	026		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.80 2.05 2.13 2.10 1.10 1.20	150.00 165.00 130.00 130.00 156.00 150.00 155.00	350.00 440.00 230.00 240.00 450.00 410.00 323.75	3750.00 7500.00 2750.00 1600.00 2600.00 3500.00	2.30 2.50 0.83 0.41 0.83 0.90 1.30		d
B-52G	013	021	029				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	394.10 358.10 738.60 365.30 363.70 388.10 404.00 396.00 402.10 398.20	51.30 47.30 93.30 44.20 48.80 48.40 51.30 53.40 50.60 49.40	7.69 7.58 7.92 8.26 7.45 8.03 7.88 7.41 7.94 8.06			·	
KC-135A	013	017	021				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20				

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - IFF/TRANSPONDER SET

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E03	E04	E05	E11	E13	E16	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 89.00 0.00 3.00 43.50 43.50 5.60	0.00 59.90 0.00 0.70 40.86 40.86 4.40	0.00 9.90 0.00 0.35 6.27 6.27 2.97	0.00 8.00 0.00 1.00 9.00 9.00 2.60	360.00 360.00 225.00 180.00 243.00 243.00 171.00	84.00 136.00 146.00 105.00 93.70 93.70 140.80	·
B-52G	_						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A					_		
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - IFF/TRANSPONDER SET

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M06	M11	M14				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.25 5.00 2.00 1.80 8.00 4.00 3.00	32.48 75.52 63.98 42.41 125.32 65.69 7.46	35.56 83.90 35.53 4.67 56.14 32.88 13.56			,	
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	M02	M03	M05				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10	6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30				

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - IFF/TRANSPONDER SET

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	G08	G15					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	85.70 201.20 98.10 92.50 122.00 111.23 67.90	46.02 60.70 19.65 16.28 83.41 46.20 8.30					
8-52G						!	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-26-1

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/RECEIVERS

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	-	
7 ACFT. COMPOSITE	A01	A20	A21_				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.59 0.59 0.91 0.77 0.81 0.62 1.12	5.77 16.63 5.95 7.94 10.40 5.03 3.85	0.48 0.59 0.94 0.71 0.76 0.61 0.88				
B-52G	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.41 1.07 1.21 0.67 1.13 1.07 1.14 1.14 0.29 0.00	4.59 9.31 11.54 8.97 23.49 9.74 22.14 11.29 2.45 0.48	0.41 1.00 0.79 0.87 1.00 1.14 1.21 0.93 0.14 0.14	·			
KC-135A	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.83 0.33 0.74 0.04 0.85 0.07 2.31 0.77 0.08 0.21	0.21 3.03 3.28 0.73 9.24 1.94 23.88 5.46 1.39 1.14	0.00 0.33 0.84 0.07 0.85 0.15 2.69 0.77 0.08 0.29				

- F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/RECEIVERS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	80A	A09	A12	A13	A17		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	3.00 0.00 4.00 3.20 4.00 4.00 4.00	0.00 10.00 0.00 4.70 10.00 8.00 0.00	1.00 10.00 5.00 6.00 10.00 10.00	1.23 4.00 3.76 2.30 1.50 2.00 1.26	1.00 10.00 10.00 5.20 5.00 5.00	,	
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-26-3

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/RECEIVERS

GENERIC PARAMETER CLASS:

(OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	003	011	013	017	026	027	030	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	150.00 165.00 130.00 130.00 156.00 150.00 155.00	2750.00	223.10 284.70 1329.80 233.10 420.82 331.13 428.20	281.80 166.40 781.90 122.60 149.95 224.70 1083.34	2.30 2.50 0.83 0.41 0.83 0.90 1.30	7000.00 6000.00 3000.00 4420.00 3500.00 3000.00	0.10 0.13 0.00 0.23 0.23 0.05 0.03	
B-52G								·
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								
KC-135A	030							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	0.04 0.08 0.03 0.00 0.00 0.23 0.00 0.08 0.00							

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/RECEIVERS

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE	,		PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E03	E11	E17	E19	E21	E22	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 89.00 0.00 3.00 43.50 43.50 5.60	0.00 8.00 0.00 1.00 9.00 9.00 2.60	20.00 27.00 74.00 14.00 22.50 22.50 42.20	0.00 0.00 1.00 1.00 0.40 0.40 2.20	50.00 19.00 42.00 42.00 31.15 31.15 43.20	96.00 72.00 86.00 87.00 79.25 79.25 89.40	
B-52G	E10	E14					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	55.00 62.00 3.00 10.00 31.00 23.00 8.00 49.00 57.00 49.00	26.00 23.00 49.00 36.00 27.00 39.00 64.00 32.00 37.00 14.00					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							-

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-26-5

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/RECEIVERS

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M06	M11	M12	M14			
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	1.25 5.00 2.00 1.80 8.00 4.00 3.00	32.48 75.52 63.98 42.41 125.32 65.69 7.46	0.03 2.00 0.01 0.00 0.00 0.11 0.17	35.56 83.90 35.53 4.67 56.14 32.88 13.56			
B-52G	M04						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	5.30 12.30 13.10 8.70 4.70 6.90 10.80 10.00 5.00 5.70	·					
KC-135A	M05						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30						

- 1. F-15A Luke


- 2. FB-111A Plattsburg
 3. C-141A Travis
 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/RECEIVERS

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	 ·····	
7 ACFT. COMPOSITE	G08	G14	G17				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	85.70 201.20 98.10 92.50 122.00 111.23 67.90	2.00 2.00 4.00 4.00 4.00 3.00 2.00	6.00 11.00 15.00 5.00 22.00 14.00 19.00				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)






TABLE A-27-1

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A01	A20	A21				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	4.07 1.63 15.16 0.00 5.13 7.72 2.39	7.04 26.82 157.28 0.00 70.79 89.86 9.45	1.35 2.16 9.53 0.00 5.24 5.09 2.19				
B-52G	A01	A21					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	4.41 4.80 4.07 3.47 4.87 6.36 4.57 9.07 6.29 3.42	4.07 4.40 4.21 4.87 4.47 7.64 5.07 8.86 5.36 3.42					
KC-135A	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	7.04 6.50 11.61 4.30 5.92 11.12 5.85 8.15 8.38 8.36	80.53 65.58 98.23 47.39 111.42 117.40 96.85 76.84 98.68 102.92	4.89 3.83 6.42 2.78 4.85 6.56 3.46 6.15 6.08 5.86				

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/TACAN SETS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A03	A13					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	29.00 27.60 51.00 26.50 31.00 45.00 50.00	1.23 4.00 3.70 1.80 8.25 6.33 1.26					
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-27-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	008	012	013	027	028	029	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	2000.00 1250.00 1950.00 408.75 3300.00 2500.00 1175.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	223.10 284.70 1329.80 233.10 420.82 331.13 428.20	7000.00 6000.00 3000.00 4420.00 3500.00 3000.00 5500.00	2.00 2.00 7.00 1.00 9.00 6.00 2.00	1.26 3.75 3.76 1.90 8.26 4.95 1.38	
B-52G			_				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	013	017	021				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20				

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/TACAN SETS

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	E17						
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	20.00 27.00 74.00 14.00 22.50 22.50 42.20						
B-52G	E12	E13					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	170.00 166.00 98.00 96.00 142.00 114.00 107.00 187.00 193.00 134.00	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00					
KC-135A	E13						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00						

- 1. F-15A Luke
- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-27-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M02	M07	M08	M09	M10	M15	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	30.60 47.60 62.80 61.90 42.38 6.68 34.62	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 334.06 77.35	36.17 17.09 91.29 2.77 28.46 26.33 4.54	125.46 86.07 441.33 37.66 335.46 291.92 78.49	10.40 19.40 70.06 1.81 216.83 217.36 9.66	
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							•

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/TACAN SETS

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	G02	G03	G05	G10	G11	G12	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6.00 9.00 14.00 5.00 19.00 21.00 18.00	400.00 470.58 1363.00 198.56 1684.49 971.91 77.70	608.00 655.50 3244.00 506.00 4000.00 2313.40 170.00	2.00 2.00 4.00 2.00 8.00 4.00 2.00	604.20 824.20 1860.00 285.40 3096.00 1728.00 116.00	4800.00 4070.00 8400.00 1813.00 8960.00 5500.00 770.00	
B-52G						_	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A				 			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-28-1

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/ATTITUDE HEADING

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A01	A20	A21				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.93 2.47 0.03 0.26 2.77 2.47 2.41	14.38 33.38 0.11 2.75 10.72 9.29 9.48	1.03 3.44 0.00 0.37 2.08 1.08 2.71				
B-52G	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	2.10 1.80 4.07 2.87 3.67 3.07 1.17 3.50 2.14 2.72	8.13 7.03 10.62 10.51 17.87 11.41 6.99 14.63 10.16 9.84	1.55 1.27 2.14 2.40 3.47 2.50 0.86 2.93 1.14 2.58				
KC-135A	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	2.38 2.92 4.42 1.78 2.00 1.85 2.08 4.23 1.54 1.50	8.20 10.36 13.81 6.20 10.85 6.53 10.42 13.01 8.95 4.57	1.79 1.83 2.71 1.15 1.77 1.41 1.92 3.46 1.00 1.00				

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

RADIO NAVIGATION/ATTITUDE HEADING SUBSYSTEM/EQUIPMENT -

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A10	A12	A17				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6.00 6.00 4.00 0.00 4.17 5.00 4.00	2.00 5.00 10.00 0.00 20.00 20.00 50.00	100.00 66.67 10.00 10.00 16.70 16.70 0.00				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- F-15A Luke
 FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-28-3

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/ATTITUDE HEADING

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	003	005	007	009	010	011	026	027
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	150.00 165.00 130.00 130.00 156.00 150.00 155.00	82.02 79.00 75.83 82.00 92.00 82.00 100.00	350.00 440.00 230.00 240.00 450.00 410.00 323.75	2250.00 2500.00 700.00 3500.00 4000.00 4000.00 3000.00	135.00 135.00 110.00 120.00 135.00 125.00 142.50	3750.00 7500.00 2750.00 1600.00 2600.00 3500.00	2.30 2.50 0.83 0.41 0.83 0.90 1.30	7000.00 6000.00 3000.00 4420.00 3500.00 3000.00 5500.00
B-52G	013	017	021					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	394.10 358.10 738.60 365.30 363.70 388.10 404.00 396.00 402.10 398.20	133.30 120.80 398.60 131.50 122.70 102.10 140.40 118.90 109.80 121.40	51.30 47.30 93.30 44.20 48.80 48.40 51.30 53.40 50.60 49.40					
KC-135A	013	017	021					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 295.20 266.70 311.60 312.20 305.20 291.20	178.80 192.10 580.70 159.50 208.50 157.50 204.70 182.70 186.60 196.60	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20					

- F-15A Luke
- FB-111A Plattsburg
- C-141A Travis A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-28-4 SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/ATTITUDE HEADING

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	E03	E04	E05	E06	E11	E13	E18	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	0.00 89.00 0.00 3.00 43.50 43.50 5.60	0.00 59.90 0.00 0.70 40.86 40.86 4.40	0.00 9.90 0.00 0.35 6.27 6.27 2.97	50.00 145.00 69.00 121.00 128.70 128.70 108.20	0.00 8.00 0.00 1.00 9.00 9.00 2.60	360.00 360.00 225.00 180.00 243.00 243.00 171.00	4.00 7.00 0.00 2.00 3.40 3.40 8.80	
B-52G	E03	E04	E05	E13	E17	E20		
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	3.00 15.00 2.00 77.00 111.00 114.00 0.00 3.00 5.00 105.00	0.50 10.50 0.00 47.30 142.30 160.50 0.00 2.40 0.00 45.10	0.50 3.50 0.00 9.46 20.33 20.06 0.00 2.40 0.00 6.44	135.00 180.00 315.00 225.00 270.00 315.00 180.00 360.00 225.00	23.00 20.00 15.00 26.00 32.00 25.00 12.00 20.00 17.00 35.00	65.70 60.58 61.67 47.42 45.67 39.25 60.92 64.92 62.08 45.00		
KC-135A	E03	E20	E22					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	3.00 15.00 2.00 77.00 111.00 114.00 0.00 3.00 5.00 105.00	65.70 60.58 61.67 47.42 45.67 39.25 60.92 64.92 62.08 45.00	87.58 82.83 85.83 71.50 72.42 64.42 85.33 86.00 85.67 70.92					

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- F-15A Luke 1.
- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-28-5

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/ATTITUDE HEADING

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	 	
7 ACFT. COMPOSITE	M02	M04	M06				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	30.60 47.60 62.80 61.90 42.38 6.68 34.62	22.20 19.40 3.60 14.50 8.25 5.35 6.20	1.25 5.00 2.00 1.80 8.00 4.00 3.00				
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		,					
KC-135A	M07	M08	M09	M10	M11		
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	1166.29 795.98 1081.44 598.69 965.35 862.39 896.68 1165.45 613.50 839.05	433.64 295.93 402.09 222.60 358.93 320.64 333.39 433.33 228.11 311.97	34.19 23.23 31.70 17.55 28.30 25.28 26.29 34.17 17.98 24.60	378.93 258.60 351.36 194.52 313.64 280.19 291.33 378.66 199.33 272.61	85.27 58.19 79.07 43.77 70.58 63.05 65.56 85.21 44.86 65.31		

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
- 7. T-38A Composite (10 Bases)

TABLE A-28-6

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/ATTITUDE HEADING

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	G02	G09	G15	G16	G17		
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	6.00 9.00 14.00 5.00 19.00 21.00 18.00	5.00 17.00 18.00 4.00 25.00 25.00 15.70	46.02 60.70 19.65 16.28 83.41 46.20 8.30	1.27 3.13 2.10 0.59 4.88 3.77 1.00	6.00 11.00 15.00 5.00 22.00 14.00 19.00		
B-52G	G16						
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	5.28 5.34 4.60 4.74 5.30 5.28 4.16 4.80 4.03 5.20						
KC-135A						j	
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							

- 1. F-15A Luke
- FB-111A Plattsburg
 C-141A Travis
- A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

A-29-1 TABLE

GENERIC PARAMETER CLASS: (MAINTENANCE RESOURCE DEMAND)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	A01	A20	A21				
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	7.86 12.50 12.66 0.05 8.34 6.23 7.94	123.41 161.00 102.32 0.05 218.66 94.55 116.67	4.31 5.97 8.09 0.00 7.96 5.20 5.26				
B-52G	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	7.69 9.13 12.93 9.07 4.80 7.00 8.36 7.64 9.21 7.58	174.27 356.58 240.19 218.47 161.21 229.12 211.47 183.16 165.87 246.22	6.90 20.07 13.29 6.93 5.73 6.64 7.36 7.07 8.93 6.72				
KC-135A	A01	A20	A21				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	7.33 6.67 8.32 4.81 4.31 5.48 4.77 7.46 8.46 4.64	85.53 104.10 105.46 60.04 151.71 66.08 124.28 79.65 94.12 74.48	4.83 6.00 6.61 4.37 4.08 4.85 5.00 5.92 6.46 3.86				

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/RADAR SETS

GENERIC PARAMETER CLASS: (EQUIPMENT)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	A03	A04	_A10	A11	A13	A17	A19	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	173.70 99.50 74.00 3.30 75.00 80.00 84.25	5329.00 5200.00 5653.80 39.40 7776.00 7776.00 5296.00	6.00 6.00 3.00 2.00 5.00 5.00	95.00 45.00 100.00 25.00 100.00 100.00 77.50	1.23 4.00 3.70 4.70 8.25 6.33 4.70	100.00 200.00 1.00 0.00 200.00 40.00 90.17		
B-52G								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								
KC-135A								
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith								

- 1. F-15A Luke

- FB-111A Plattsburg
 C-141A Travis
 A-10A Myrtle Beach
- 5. B-52G Composite (10 Bases)
 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

TABLE A-29-3

GENERIC PARAMETER CLASS: (OPERATIONS)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER	-	
7 ACFT. COMPOSITE	008	011	012	013	028	029	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	2000.00 1250.00 1950.00 408.75 3300.00 2500.00 1175.00	3750.00 7500.00 2750.00 1600.00 2600.00 3500.00	31.50 60.00 165.00 30.00 240.00 127.50 9.50	223.10 284.70 1329.80 233.10 420.82 331.13 428.20	2.00 2.00 7.00 1.00 9.00 6.00 2.00	1.26 3.75 3.76 1.90 8.26 4.95 1.38	
B-52G	013	017	021	031			
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	394.10 358.10 738.00 365.30 363.70 388.10 404.00 396.00 402.10 398.20	133.30 120.80 398.60 131.50 122.70 102.10 140.40 118.90 109.80 121.40	51.30 47.30 93.30 44.20 48.80 48.40 51.30 53.40 50.60 49.40	0.55 0.53 0.64 0.33 0.33 0.29 0.43 0.50 0.57 0.43			
KC-135A	013	021					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	326.33 329.50 619.70 254.50 275.20 266.70 311.60 312.20 305.20 291.20	67.40 66.30 103.50 51.20 60.60 55.50 66.80 61.40 61.50 62.20					

7 AIRCRAFT COMPOSITE BASE IDENTIFICATIONS

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
- 6. KC-135A Composite (10 Bases)
 7. T-38A Composite (10 Bases)

200

TABLE A-29-4

GENERIC PARAMETER CLASS: (ENVIRONMENTAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER			
7 ACFT. COMPOSITE	E13	E16	E17					
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	360.00 360.00 225.00 180.00 243.00 243.00 171.00	84.00 136.00 146.00 105.00 93.70 93.70 140.80	20.00 27.00 74.00 14.00 22.50 22.50 42.20					
B-52G	E03	E04	E05	E06	E07	E09	E15	E16
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	3.00 15.00 2.00 77.00 111.00 114.00 0.00 3.00 5.00 105.00	0.50 10.50 0.00 47.30 142.30 160.50 0.00 2.40 0.00 45.10	0.50 3.50 0.00 9.46 20.33 20.06 0.00 2.40 0.00 6.44	117.00 136.00 69.00 140.00 171.00 146.00 79.00 125.00 144.00 160.00	35.39 45.33 6.62 14.49 57.58 39.92 11.67 39.58 51.11 32.91	55.00 56.00 46.00 55.00 63.00 64.00 48.00 54.00 55.00 61.00	215.00	77.00 125.00 54.00 95.00 127.00 110.00 47.00 84.00 88.00 130.00
KC-135A	E03	E18	E20					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	3.00 15.00 2.00 77.00 111.00 114.00 0.00 3.00 5.00 105.00	2.00 5.00 1.00 2.00 6.00 3.00 5.00 4.00	65.70 60.58 61.67 47.42 45.67 39.25 60.92 64.92 62.08 45.00					

- 1. F-15A Luke

- 2. FB-111A Plattsburg 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

TABLE A-29-5

GENERIC PARAMETER CLASS: (MAINTENANCE)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	M03	M06	M07	M08	M11	M14	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	47.20 33.00 33.60 23.60 49.37 32.97 24.56	1.25 5.00 2.00 1.80 8.00 4.00 3.00	509.13 621.57 1501.72 208.07 1716.42 898.48 192.00	242.44 325.14 799.32 99.49 944.88 334.06 77.35	32.48 75.52 63.98 42.41 125.32 65.69 7.46	35.56 83.90 35.53 4.67 56.14 32.88 13.56	
8-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith		·					
KC-135A	M02	M03	M05				
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	70.30 66.10 39.70 70.70 43.50 64.80 65.20 68.70 60.60 67.20	18.60 26.00 57.20 25.80 52.80 30.50 29.10 25.60 35.00 29.10	6610.50 5769.80 7426.90 4470.60 6708.80 5140.20 6319.40 5017.30 4860.00 5798.30				

- 1. F-15A Luke
- 2. FB-111A Plattsburg
- 3. C-141A Travis 4. A-10A Myrtle Beach
- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

A-29-6 TABLE

SUBSYSTEM/EQUIPMENT - RADIO NAVIGATION/RADAR SETS

GENERIC PARAMETER CLASS: (AIRCRAFT GENERAL)

DATA CASE ACFT/BASE			PARA	METER I.D	. NUMBER		
7 ACFT. COMPOSITE	G03	G05	G10	G12	G15	G17	
F-15A FB-111A C-141A A-10A B-52G KC-135A T-38A	400.00 470.58 1363.00 198.56 1684.49 971.91 77.70	608.00 655.50 3244.00 506.00 4000.00 2313.40 170.00	2.00 2.00 4.00 2.00 8.00 4.00 2.00	4800.00 4070.00 8400.00 1813.00 8960.00 5500.00 770.00	46.02 60.70 19.65 16.28 83.41 46.20 8.30	6.00 11.00 15.00 5.00 22.00 14.00 19.00	
B-52G							
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith							
KC-135A	G15	G16					
Barksdale Blytheville Castle Fairchild Griffiss Loring Mather Robins S. Johnson Wurthsmith	56.00 41.67 29.43 41.09 55.42 51.61 49.06 53.40 36.02 48.72	3.63 4.34 2.50					

- F-15A Luke
- FB-111A Plattsburg C-141A Travis A-10A Myrtle Beach

- B-52G Composite (10 Bases)
 KC-135A Composite (10 Bases)
 T-38A Composite (10 Bases)

THE BUSING COMPANY

APPENDIX B

STUDY PARAMETER IDENTIFICATION TABLES (PHASE III)

Phase III study parameter identification tables are as follows:

TITLE	TABLE
Maintenance Resource Demand (MRD) Parameter Identification	B - 1
Equipment Parameter Identification	B-2
Operational Parameter Identification	B-3
Environmental Parameter Identification	8-4
Maintenance Parameter Identification	B - 5
Aircraft General Parameter Identification	B-6

TABLE B-1 MAINTENANCE RESOURCE DEMAND (MRD) PARAMETER IDENTIFICATION PHASE I AND PHASE II (SUBSYSTEM EQUIPMENTS)

VARTABLE 1.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
	PHASE I (AVIONICS) EQUIPMENT		
A01	FAILURES PER ACFT	REAL	NO/ACFT/YR
A20	EQUIP MAINT MANHRS PER ACFT	REAL	NO/ACFT/YR
A21	EQUIP TOTAL REMOVALS PER ACFT	REAL	NO/ACFT/YR
A22	EQUIP GROUND ABORTS PER ACFT	REAL	NO/ACFT/YR
A23	EQUIP AIR ABORTS PER ACFT	REAL	NO/ACFT/YR
	PHASE I (ENGINE) EQUIPMENT		
P01	FAILURES PER ACFT	REAL	NO/ACFT/YR
P17	UNSCH MAINT MANHRS PER INSTALLED ENGINE	REAL	MANHRS/NO ENG/10
P18	UNSCH MAINT MANHRS PER ACFT	REAL	NO/ACFT/YR
P19	TOTAL ENGINE COMPONENT REMOVALS PER ACFT	REAL	NO/ACFT/YR ·
P20	ENGINE GROUND ABORTS PER ACFT	REAL	NO/ACFT/YR
P21	ENGINE AIR ABORTS PER ACFT	REAL	NO/ACFT/YR

TABLE B-1 MAINTENANCE RESOURCE DEMAND (MRD) PARAMETER IDENTIFICATION PHASES I AND PHASE II (SUBSYSTEM EQUIPMENTS)

VARTABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
	PHASE II (OTHER) EQUIPMENT		
R01	FAILURES PER ACFT	REAL	NO/ACFT/YR
R02	MAINT MANHRS PER ACFT	REAL	NO/ACFT/YR
R03	EQUIPMENT TOTAL REMOVALS PER ACFT	REAL	NO/ACFT/YR
R04	EQUIPMENT GROUND ABORTS PER ACFT	REAL	NO/ACFT/YR
R05	EQUIPMENT AIR ABORTS PER ACFT	REAL	NO/ACFT/YR
R06	EQUIPMENT CANNIBILIZATIONS PER ACFT	REAL	NO/ACFT/YR

TABLE B-2 EQUIPMENT PARAMETER IDENTIFICATION - PHASE I (AVIONICS)

VAOTABLE		70 0417	
I.D. NUMBER	LABEL NAME	NIMD OF DATA REAL/SCALED	UNIT OF MEASURE
A02	EQUIPMENT LOCATION ON ACFT	SCALED	WEIGHTED NUMBER
A03	EQUIPMENT WEIGHT	REAL	LB'S
A04	EQUIPMENT VOLUME	REAL	CU IN
A05	SRU COUNT	REAL	NUMBER OF SRU'S
A06	OPERATING TEMPERATURE	REAL	DEGREES "F" MEDIAN
A07	COOLING METHOD	SCALED	WEIGHTED NUMBER
A08	PROTECTION DEVICES	SCALED	WEIGHTED NUMBER
A09	NUMBER OF TEST POINTS (ORG LEVEL)	REAL	NUMBER
A10	REQUIRED AGE	SCALED	WEIGHTED NUMBER
A11	AGE AVAILABILITY	REAL	PERCENT
A12	AGE UNRELIABILITY	REAL	PERCENT
A13	AVG OPERATING TIME PER SORTIE	REAL	HOURS
A14	RETEST OK RATE	REAL	PERCENT
A15	ON-OFF CYCLES PER FLYING HOUR	REAL	NUMBER/10 FLY HR

TABLE 8-2 EQUIPMENT PARAMETER IDENTIFICATION - PHASE I (AVIONICS)

VARIAB			KIND OF	
I.D. NUMBER	α.	LABEL NAME	DATA REAL/SCALED	UNIT OF MEASURE
A16	ON-OFF	ON-OFF CYCLES PER SORTIE	REAL	NUMBER/SORTIE
A17	GROUND/	GROUND/FLIGHT OPERATING RATIO	REAL	PERCENT
A18	ABORTS/	ABORTS/FAILURES RATIO	REAL	PERCENT
Å19	EQUIPME	EQUIPMENT DENSITY	REAL	LB'S/FT
20				

TABLE B-2 EQUIPMENT PARAMETER IDENTIFICATION - PHASE I (ENGINES)

PO2 TOTAL NO OF INS PO3 TAKE-OFF THRUST PO4 WEIGHT PER ENGI PO5 VOLUME PER ENGI PO6 DENSITY PER ENG PO7 NO COMPRESSOR S PO8 NO COMPRESSOR S		REAL/SCALED REAL REAL REAL REAL	UNIT OF MEASURE TOTAL NUMBER LB'S/10 CU FT/10 LB'S/CU FT/10
		REAL REAL REAL	TOTAL NUMBER LB'S/10 LB'S/10 CU FT/10 LB'S/CU FT/10
		REAL REAL REAL	LB'S/10 LB'S/10 CU FT/10 LB'S/CU FT/10
		REAL REAL	LB'S/10 CU FT/10 LB'S/CU FT/10
	ENGINE REGINE	REAL	CU FT/10 LB'S/CU FT/10
	R ENGINE	REAL	LB'S/CU FT/10
	SOR SECTIONS PER ENGINE	REAL	NUMBER
	SOR BLADES PER ENGINE	REAL	NUMBER
PO9 TURBINE SECTION	CTION SIZE	REAL	FEET
P10 MAX ENGINE	MAX ENGINE COMBUSTION TEMP	REAL	DEGREES "C"
P11 MAX ENGINE FUEL	FUEL FLOW	REAL	LB'S/HR/10 PER ENG
P12 MIN ENGINE FUEL	FUEL FLOW	REAL	LB'S/HR/10 PER ENG
P13 ENGINE PRIME DEPOT	WE DEPOT	SCALED	NUMBER (SCALED VALUE)
P14 ENGINE AGE AVA	AVAILABILITY	REAL	PERCENT
P15 ENGINE AGE UNRI	UNRELIABILITY	REAL	PERCENT

TABLE B-2 EQUIPMENT PARAMETER IDENTIFICATION - PHASE I (ENGINES

VARIABLE		KIND OF	
NUMBER	LABEL NAME	REAL/SCALED	UNIT OF MEASURE
916	ENGINE VIBRATION FACTORS	SCALED	WEIGHTED VALUE

EQUIPMENT PARAMETER IDENTIFICATION - PHASE II (OTHER SUBSYSTEMS)

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
F01	LOCATION OF EQUIPMENT ON THE AIRCRAFT	SCALED	SCALED VALUE
F02	PRIMARY MATERIAL - COMPOSITION TECH LEVEL	SCALED	SCALED VALUE
F03	EQUIPMENT WEIGHT	REAL	POUNDS
F04	EQUIPMENT VOLUME	REAL	(GAL/10) (CU FT) (CU IN) (SQ FT)
F05	OPERATING TEMPERATURE	REAL	DEGREES F
F06	SUPPORT EQUIPMENT COMPLEXITY	SCALED	SCALED VALUE
F07	SUPPORT EQUIPMENT UNRELIABILITY	REAL	PERCENT
F08	TYPE OF FAILURE PROBLEMS	SCALED	SCALED VALUE
F09	RETEST OK VERIFICATION RATE	REAL	PERCENT
F10	ON/OFF CYCLES PER SORTIE	REAL	CYCLES/SORTIE
F11	GROUND TO FLIGHT OPERATING RATIO	REAL	PERCENT
F12	RELATIVE RELIABILITY OF EQUIPMENT DRIVING FORCE	SCALED	SCALED VALUE
F13	REMOVALS TO ACCESS OTHER EQUIPMENT	REAL	NO/ACFT/YR
F14	SEVERITY OF FOD	SCALED	SCALED VALUE
			ł

EQUIPMENT PARAMETER IDENTIFICATION - PHASE II (OTHER SUBSYSTEMS) TABLE B-2

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
F15	PRINCIPLE FAILURE CAUSE	SCALED	SCALED VALUE
F16	EQUIPMENT PROTECTION METHODOLOGY	SCALED	SCALED
F17	EQUIPMENT PRESSURIZATION LEVEL	REAL	PSI
F18	RAIN REMOVAL TECHNOLOGY (WINDSHIELD)	SCALED	SCALED VALUE
F19	MOUNTING POSITION (WINGS)	SCALED	SCALED VALUE
F20	POWER RATING (GENERATORS)	REAL	KVA RATING
F21	NO OF TIRE PLY'S (TIRES)	REAL	PLY'S PER TIRE
F22	LANDINGS PER TIRE (TIRES)	REAL	LANDINGS PER TIRE
F23	AVG TIRE COST (TIRES)	REAL	COST PER TIRE
F24	SECURING METHOD TECHNOLOGY (RADOME)	SCALED	SCALED VALUE

TABLE B-3 OPERATIONAL PARAMETER IDENTIFICATION

•			
VARTABLE I.D. NIMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
005	AVG MISSION MIX	SCALED	WEIGHTED NUMBER
003	AVG TAKE-OFF SPEED	REAL	KNOTS
900	MEDIAN TAKE-OFF DISTANCE	REAL	FEET
900	PERCENT OF MAX TAKE-OFF WT	REAL	PERCENT
900	AVG CLIMB RATE	REAL	FEET/MIN
200	AVG CRUISE SPEED	REAL	KNOTS
800	AVG CRUISE ALTITUDE	REAL	FEET/10
600	AVG DESCENT RATE	REAL	FEET/10 PER MIN
010	AVG LANDING SPEED	REAL	KNOTS
011	MINIMUM LANDING DISTANCE	REAL	FEET
012	AVG LANDING WT	REAL	LB'S/1000
013	TOTAL FLYING HOURS PER ACFT	REAL	HOURS/ACFT/YR
014	TRAINING FLYING HOURS PER ACFT	REAL	HOURS/ACFT/YR
015	OPERATIONS FLYING HOURS PER ACFT	REAL	HOURS/ACFT/YR

TABLE B-3 OPERATIONAL PARAMETER IDENTIFICATION

	IMPLE D-3 OFERMITONAL PARAMETER IDENTIFICATION	AKAMETEK IDENTI	ICALIUN
VARTABLE 1.D. NUMBER	LABEL NAME	KIND OF DATA RFA! /SCA! FD	INIT OF MEASURE
016	MISC FLYING HOURS PER ACFT	REAL	HOURS/ACFT/YR
017	TOTAL LANDINGS PER ACFT	REAL	LANDINGS/ACFT/YR
018	TRAINING LANDINGS PER ACFT	REAL	LANDINGS/ACFT/YR
610	OPERATIONS LANDINGS PER ACFT	REAL	LANDINGS/ACFT/YR
050	MISC LANDINGS PER ACFT	REAL	LANDINGS/ACFT/YR
021	TOTAL SORTIES PER ACFT	REAL	SORTIES/ACFT/YR
022	TRAINING SORTIES PER ACFT	REAL	SORTIES/ACFT/YR
623	OPERATIONS SORTIES PER ACFT	REAL	SORTIES/ACFT/YR
024	MISC SORTIES PER ACFT	REAL	SORTIES/ACFT/YR
025	AVG POSSESSED ACFT	REAL	ACFT/MO/YR
026	MAXIMUM ACFT SPEED	REAL	МАСН
027	MAXIMUM ACFT CEILING	REAL	FEET/10
028	ACFT CREW SIZE	REAL	NUMBER/ACFT
029	AVG SORTIE LENGTH	REAL	HOURS/SORTIE

TABLE B-3 OPERATIONAL PARAMETER IDENTIFICATION

		UNIT OF MEASURE	NO/ACFT/YR	NO/ACFT/YR						
OF ENALTH OWNER FOR THE TOTAL TOTAL	KIND OF	REAL/SCALED	REAL	REAL						
INDEE D-3 OF ENVISORME TO		LABEL NAME	ACCIDENTS (MAJOR/MINOR) PER ACFT	INCIDENTS PER ACFT						
	VARIABLE	NUMBER	030	031						

TABLE B-4 ENVIRONMENTAL PARAMETER IDENTIFICATION

VARTABLE 1.D.		KIND OF DATA	
NUMBER	LABEL NAME	REAL/SCALED	UNIT OF MEASURE
E02	BASE ALTITUDE	REAL	FEET
E03	NO OF SNOW DAYS	REAL	DAYS
E04	TOTAL SNOW FALL	REAL	INCHES
E05	MEAN SNOW DEPTH	REAL	INCHES
E06	NO OF RAIN DAYS	REAL	DAYS
E07	TOTAL RAIN FALL	REAL	INCHES
E08	NO OF HAIL DAYS	REAL	DAYS
E09	RELATIVE HUMIDITY (AVG)	REAL	PERCENT
£10	NO OF THUNDER DAYS	REAL	DAYS
£11	NO OF SLEET DAYS	REAL	DAYS
E12	NO OF FOG DAYS	REAL	DAYS
E13	PREDOMINATE WIND DIRECTION	SCALED	DEGREES
E14	MAXIMUM CROSSWIND'S LESS THAN 10 MPH	REAL	DAYS
E15	MAXIMUM CROSSWIND'S 10-19 MPH	REAL	DAYS

TABLE B-4 ENVIRONMENTAL PARAMETER IDENTIFICATION

	INDIA D-4 CIVINGENIAL	L PARAMETER IDENTIFICATION	I IT ICAL ION
VARIABLE		KIND OF	
I.D. NUMBER	LABEL NAME	REAL/SCALED	UNIT OF MEASURE
E16	MAXIMUM CROSSWIND'S 20-29 MPH	REAL	DAYS
£17	MAXIMUM CROSSWIND'S 30-39 MPH	REAL	DAYS
£18	MAXIMUM CROSSWIND'S 40-49 MPH	REAL	DAYS
E19	MAXIMUM CROSSWIND'S GREATER THAN 50 MPH	REAL	DAYS
£20	MEAN TEMPERATURE .	REAL	DEGREES "F"
E21	MEAN MINIMUM TEMPERATURE	REAL	DEGREES "F"
E22	MEAN MAXIMUM TEMPERATURE	REAL	DEGREES "F"

TABLE B-5 MAINTENANCE PARAMETER IDENTIFICATION

VARIABLE		KIND OF	
I.D. NUMBER	LABEL NAME	DATA REAL/SCALED	UNIT OF MEASURE
M02	AVG OR RATE (JAN-SEPT 1977)	REAL	PERCENT
M03	AVG NORM RATE (JAN-SEPT 1977)	REAL	PERCENT
M04	AVG NORS RATE (JAN-SEPT 1977)	REAL	PERCENT
M05	TOTAL UNSCHEDULE MAINTENANCE MANHOURS EXPENDED PER ACFT	REAL	HOURS/ACFT/YR
90M	AVG TURN-AROUND TIME-MAINT (PER ACFT)	REAL	CLOCK HOURS
20M	TOTAL GENERAL SUPPORT (01-09) MANHOURS PER ACFT	REAL	HOURS/ACFT/10/YR
M08	TOTAL GENERAL SUPPORT - 01 MANHOURS PER ACFT GROUND HANDLING AND SERVICING	REAL	HOURS/ACFT/10/YR
M09	TOTAL GENERAL SUPPORT - 02 MANHOURS PER ACFT AIRCRAFT CLEANING	REAL	HOURS/ACFT/10/YR
M10	TOTAL GENERAL SUPPORT - 03 MANHOURS PER ACFT LOOK PHASE OF SCHEDULED INSPECTIONS	REAL	HOURS/ACFT/10/YR
M11	TOTAL GENERAL SUPPORT - 04 MANHOURS PER ACFT SPECIAL INSPECTIONS	REAL	HOURS/ACFT/10/YR
M12	TOTAL GENERAL SUPPORT - 05 MANHOURS PER ACFT PRESERVATION AND STORAGE	REAL	HOURS/ACFT/10/YR
M13	TOTAL GENERAL SUPPORT - 06 MANHOURS PER ACFT ARMING AND DISARMING	REAL	HOURS/ACFT/10/YR
M14	TOTAL GENERAL SUPPORT - 07 MANHOURS PER ACFT PREPARATION AND MAINTENANCE OF RECORDS	REAL	HOURS/ACFT/10/YR
M15	TOTAL GENERAL SUPPORT - 09 MANHOURS PER ACFT IN-SHOP GENERAL SUPPORT	REAL	HOURS/ACFT/10/YR

ABLE B-6 AIRCRAFT GENERAL PARAMETER IDENTIFICATION

VARTABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
602	YEARS SINCE AIRCRAFT WAS PRODUCED	REAL	YEARS
603	AIRCRAFT EMPTY WT	REAL	LBS/100
604	MAX GROSS WT - TAKE-OFF	REAL	LBS/100
605	AIRCRAFT WING AREA	REAL	SQ/FT
909	AIRCRAFT ASPECT RATIO	REAL	PERCENT
607	TOTAL FUEL CAPACITY	REAL	GALLONS
809	AVG AIRCRAFT WING LOAD	REAL	LBS/SQ FT
609	YEARS SINCE ENGINE PRODUCTION	REAL	YEARS
610	NO OF INSTALLED ENGINES PER ACFT	REAL	NUMBER
611	ENGINE WT PER ACFT (ALL ENGINES)	REAL	1.85/10
612	TOTAL THRUST PER ACFT	REAL	LBS/10
613	DESIGNATED CLIMB RATE	REAL	FEET/MIN/10
614	NO OF GENERATORS PER ACFT	REAL	NO/ACFT
615	TOTAL MAINT MANHOURS PER FLIGHT HOUR	REAL	MANHOURS PER FLT HR

TABLE B-6 AIRCRAFT GENERAL PARAMETER IDENTIFICATION

UNIT OF MEASURE	NO/ACFT/YR	YEARS					·	
KIND OF DATA REAL/SCALED	REAL	REAL						
LABEL NAME	TOTAL FAILURES PER FLIGHT HOUR							
VARTABLE 1.D. NUMBER	616	617						

				ACTIVE S	SHE	ET RECORD)		_		
	П	ADD	ED	SHEETS				ADE	ED	SHEETS	
SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR
1 2 3 4 5 6 7 8 9 10 11 2 13 4 15 16 7 18 9 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45						46 47 48 49 50 51 52 53 55 56 61 62 63 64 65 66 67 77 77 77 77 77 77 80 81 82 83 84 85 89 90					

				ACTIVE S	SHE	ET RECORE)				
		ADD	ED	SHEETS				ADE	ED	SHEETS	
SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR
91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136						137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 160 161 162 163 164 165 166 167 168 170 171 172 173 174 175 177 178 179 180 181 182					

ンコユ D194-10074-2

ACTIVE SHEET RECORD ADDED SHEETS ADDED SHEETS ADDED SHEETS											
		ADD	ED	SHEETS				ADE	ED	SHEETS	
SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR	SHEET NO.	REV LTR
183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 224											

223 D194-10074-2

	REVISIONS		
LTR	DESCRIPTION	DATE	APPROVAL
			
1			
			l
		• •	
			i
			1
			ļ

124 D194-10074-2

